

SAFETY DATA SHEET

1. Identification		
Identification Product name:	QUINSYN NG-68	
Additional identification Chemical name:	Mixture	
Recommended use and restr Recommended use: Restrictions on use:	iction on use None identified. None identified.	
Details of the supplier of the safety data sheet Supplier		
Company Name:	Quincy Compressor	
Address:	701 N. Dobson Avenue Bay Minette, AL 36507	
Telephone:	251-937-5900	
Emergency telephone number: FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300		
2. Hazard(s) identification		
Hazard Classification Not classified		
Label Elements:		
Hazard Symbol:	No symbol	
Signal Word:	No signal word.	

Hazard Statement: Not applicable

Precautionary Statements: Not applicable

Other hazards which do not result None identified. in GHS classification:

3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
Mineral oil	72623-87-1	40 - 50%
Mineral oil	72623-85-9	20 – 30%
Mineral oil	64742-54-7	10 – 20%
Alkarylamine	68411-46-1	0.1 – 0.5%



4. First-aid measures		
Ingestion:	Treat symptomatically. Get medical attention.	
Inhalation:	Remove exposed person to fresh air if adverse effects are observed.	
Skin Contact:	Wash with soap and water. Get medical attention if symptoms occur. Launder contaminated clothing before reuse.	
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.	
Most important symptoms/effec	ts, acute and delayed	
Symptoms:	See section 11.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Treat symptomatically.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) exting Suitable extinguishing media:	uishing media CO2, Dry chemical or Foam. Water can be used to cool and protect exposed material.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional information.	
Special protective equipment ar Special fire-fighting procedures:	nd precautions for fire-fighters No data available.	
Special protective equipment for fire-fighters:	Recommend wearing self-contained breathing apparatus.	
6. Accidental release measures	S	
Personal precautions, protective equipment and emergency procedures:	Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas.	
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.	



Methods and material for containment and cleaning up:	Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.
7. Handling and storage	
Precautions for safe handling:	Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures. Use grounding and bonding connection when transferring material. In case of spills, beware of slippery floors and surfaces.
Maximum Handling Temperature:	Not determined.
Conditions for safe storage, including any incompatibilities:	Store away from incompatible materials. See section 10 for incompatible materials.
Maximum Storage Temperature:	Not determined.

8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Mineral oil - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
Mineral oil - Mist.	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
Mineral oil	IDLH	2,500 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
Mineral oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

Appropriate engineering controls:

No special requirements under ordinary conditions of use and with adequate ventilation.

Individual protection measures, such as personal protective equipment

General information:

Use personal protective equipment as required.



Eye/face protection:	If contact is likely, safety glasses with side shields are recommended.
Skin Protection Hand Protection:	Use nitrile or neoprene gloves. Use good industrial hygiene practices. In case of skin contact, wash hands and arms with soap and water.
Other:	Long sleeve shirt is recommended.
Respiratory Protection:	Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Use disposable dust/mist mask if the recommended exposure limit is exceeded.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance		
Physical state:	liquid	
Form:	liquid	
Color:	Colorless to yellow	
Odor:	Mild	
Odor threshold:	No data available.	
pH:	Not applicable	
Freezing point:	No data available.	
Boiling Point:	No data available.	
Flash Point:	> 440.1 °F (226.7 °C) (Cleveland Open Cup)	
Evaporation rate:	No data available.	
Flammability (solid, gas):	No data available.	
Upper/lower limit on flammability or explosive limits		
Flammability limit - upper (%):	No data available.	
Flammability limit - lower (%):	No data available.	
Explosive limit - upper:	No data available.	
Explosive limit - lower:	No data available.	
Vapor pressure:	No data available.	
Vapor density:	No data available.	
Relative density:	0.868 68 °F (20 °C)	
Solubility(ies)		
Solubility in water:	Insoluble in water	
Solubility (other):	No data available.	
Partition coefficient (n-octanol/water):	No data available.	
Auto-ignition temperature:	No data available.	
Decomposition temperature:	No data available.	

SDS_US - QUINSYN NG-68



Viscosity:	69 mm2/s(104 °F (40 °C))9.1 mm2/s(100 °C (212 °F))
Other information Bulk density:	7.24 lb/gal 77 °F (25 °C)
10. Stability and reactivity	
Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Will not occur.
Conditions to avoid:	Do not expose to excessive heat, ignition sources, or oxidizing materials.
Incompatible Materials:	Strong oxidizing agents. Strong oxidizing agents. Strong acids. Oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.
11. Toxicological information	
Information on likely routes of e Inhalation:	xposure No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Information on toxicological effe Acute toxicity Oral Product:	Not classified for acute toxicity based on available data. Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.
Dermal Product:	Not classified for acute toxicity based on available data.
Inhalation	
Mineral oil	Dust and mist: LC 50 (Rat, , 4 h): > 5 mg/l (Literature) Not classified Dust and mist Vapour: LC 50 (Rat, , 4 h): > 20 mg/l (Read across) Not classified Vapour
Mineral oil	Dust and mist: LC 50 (Rat, , 4 h): > 5 mg/l (Literature) Not classified Dust and mist Vapour: LC 50 (Rat, , 4 h): > 20 mg/l (Read across) Not classified
SDS_US - QUINSYN NG-68	5/12



	Vapour	
Alkarylamine	Vapour: LC 50 Not classified Vapour Dust and mist: LC 50 Not classified Dust and mist	
Skin Corrosion/Irritation:		
Product:	Remarks: Not classified as a primary skin irritant. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.	
Serious Eye Damage/Eye Irritation	n:	
Product:	Remarks: Not classified as a primary eye irritant.	
Respiratory sensitization:	No data available	
Skin sensitization:		
Mineral oil	Classification: Not a skin sensitizer. (Read across)	
Mineral oil	Classification: Not a skin sensitizer. (Read across) Not a skin sensitizer.	
Mineral oil	Classification: Not a skin sensitizer. (Read across)	
Alkarylamine	Classification: Not a skin sensitizer. (Literature) Not a skin sensitizer.	
Specific Target Organ Toxicity - Single Exposure:		
Product:		
Mineral oil	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.	
Mineral oil	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.	
Alkarylamine	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.	
Aspiration Hazard:	No data available	
Other effects:		



Product:	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.
Chronic Effects Carcinogenicity: Product:	This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mineral oil	All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test. This product contains mineral oils which are severely refined and not considered carcinogenic.
Mineral oil	All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test. This product contains mineral oils which are severely refined and not considered carcinogenic.
IARC Monographs on the Evaluation No carcinogenic components identified	on of Carcinogenic Risks to Humans: ed
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified	

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity:		
Mineral oil	In vitro and in vivo genetic toxicity studies were negative.	
Alkarylamine	In vitro and in vivo genetic toxicity studies were negative.	
Reproductive toxicity: Mineral oil	Not Classified based on available data.	
Alkarylamine	Suspected of damaging fertility or the unborn child.	
Specific Target Organ Toxicity - Repeated Exposure:		
Alkarylamine	Oral: Target Organ(s): Liver, Kidney	

12. Ecological information

Ecotoxicity Fish Mineral oil	LC 50 (Fathead Minnow, 96 h): > 100.1 mg/l
Mineral oil	LC 50 (Rainbow Trout, 4 d): > 5,000 mg/l



Mineral oil	LC 50 (Fathead Minnow, 96 h): > 100.1 mg/l	
Alkarylamine	LC 50 (Zebra Fish, 4 d): > 100 mg/l	
Aquatic Invertebrates Mineral oil	EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l	
	EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l	
Mineral oil	EC 50 (Water flea (Daphnia magna), 2 d): > 1,000 mg/l EC 50 (Water flea (Daphnia magna), 21 d): 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l	
Mineral oil	EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l	
Alkarylamine	EC 50 (Water flea (Daphnia magna), 2 d): 51 mg/l NOEC (Water Flea (Daphnia Magna), 21 d): 1.69 mg/l	
Toxicity to Aquatic Plants		
Mineral oil	EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100.1 mg/l NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 100.1 mg/l	
Mineral oil	EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100.1 mg/l NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 100.1 mg/l	
Alkarylamine	EC 50 (Green algae (Scenedesmus quadricauda), 3 d): > 100 mg/l NOEC (Green algae (Scenedesmus quadricauda), 3 d): 10 - 100 mg/l	
Toxicity to soil dwelling organisms No data available		
Sediment Toxicity	No data available	
Toxicity to Terrestrial Plants	No data available	
Toxicity to Above-Ground Organis	ms No data available	
Toxicity to microorganisms Alkarylamine	EC 50 (Sludge, 3 h): > 100 mg/l	
Persistence and Degradability		
Biodegradation Mineral oil	OECD TG 301 F, 31 %, 28 d, Not readily degradable. OECD TG 301 B, 2 %, 28 d, Not readily degradable.	
Mineral oil	OECD TG 301 F, 31 %, 28 d, Not readily degradable.	
Mineral oil	OECD TG 301 F, 31 %, 28 d, Not readily degradable.	
SDS_US - QUINSYN NG-68	8/12	



Alkarylamine	OECD TG 301 B, 1 %, 28 d, Not readily degradable. (The product is not biodegradable.)	
Bioaccumulative potential Bioconcentration Factor Alkarylamine	(BCF) Common Carp, Bioconcentration Factor (BCF): 1,730 (Read across) Based on experimental data this material is not bioaccumulative.	
Partition Coefficient n-octanol / water (log Kow)AlkarylamineLog Kow: > 5 25 °C (calculated)		
Mobility:	No data available	
Other adverse effects	No data available	
13. Disposal considerations		
Disposal instructions:	Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied.	
Contaminated Packaging:	Container packaging may exhibit hazards.	
14. Transport information		
DOT		

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.



TSCA Section 5(a)2 Significant New Use Rule (SNURs) (40CFR 721, Subpt E)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4)

None present or none present in regulated quantities.

Superfund amendments and reauthorization act of 1986 (SARA)

SARA 311 Classifications

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



This product can expose you to chemicals including: Acrylate ester (5.00PPM) Ethyl acrylate (5.00PPM) which is [are] known to the State of California to cause cancer.

Inventory Status

Australia (AIIC)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Great Britain (UK REACH)

To obtain information on the UK REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.



New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

Turkey (KKDIK)

To obtain information on the KKDIK compliance status of this product, please e-mail REACH@SDSInquiries.com.

United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	0
Flammability	1
Physical Hazards	0

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	02/16/2023

Version #: 7.0

Source of information: Internal company data and other publically available resources.

SDS_US - QUINSYN NG-68



Disclaimer:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.