COMPLETE COM		COMPRESSOR DATA SHEET Rotary Compressor: Fixed Spee	d Date:	November 9, 2018
A	Manufacturer:	Quincy Compressor		
В	Base Model:	QGS-15		
С	Cooling:	Air-Cooled		
D	Туре:	Oil-Injected Screw		
E	Stages:	1		
F	Drive Motor Nomina	al Rating	15	hp
η <sub>isen</sub>	Full-load package lse at Rated Capacity an	entropic Efficiency nd Full Load Operating Pressure <sup>e</sup>	66.2	Percent <sup>e</sup>
G	Rated Capacity at Fu	ll Load Operating Pressure <sup>a</sup>	49.2	acfm <sup>a</sup>
н	Full Load Operating	Pressure b	150	psig <sup>b</sup>
I	Maximum Full Flow	Operating Pressure	157	psig <sup>c</sup>
J	Pressure Ratio <sup>f</sup>		11.3	
К	Total Package Input Operating Pressure <sup>d</sup>	Power at Rated Capacity and Full Load	12.3	kW <sup>d</sup>
	Specific Package Inp Operating Pressure	ut Power at Rated Capacity and Full Load	24.98	kW/100 cfm
	-	dels according to the U.S. Department of Energy (DOE)	Energy Conservation S	tandards for Air Compresso
NOTES:	a. Measured at th ACFM is actual b. The operating p	in the Federal Register for additional information e discharge terminal point of the compressor package i cubic feet per minute at inlet conditions. pressure at which the Capacity (Item G) and Electrical Co	n accordance with ISO	
Member CAGG ompressed Air & Gas Institu	maximum pres	eet. sure attainable at full flow, usually the unload pressure sure attainable before capacity control begins. nput power at other than reported operating points will	-	

e. Isentropic Efficiency = theoretical power required divided by real measurement performance at same flow and pressure \*\*For Variable Speed, this value combines 3 Measured Points: (25% x 40%LOAD) + (50% x 70%LOAD) + (25% x 100%LOAD)

f. Pressure Ratio = the ratio of discharge pressure to inlet pressure, as determined at full-load operating pressure For more information go to: https://www.quincycompressor.com/resources/data-sheets/

\*\*\*This form was developed by Quincy Compressor to publish equipment performance data in accordance with applicable energy conservation standards adopted under EPCA (42 U.S.C. 6295(s) and 6316(a))\*\*\*