

Revision Date: 02/10/2023

SAFETY DATA SHEET

1. Identification

Identification

Product name: QUINSYN FLEX

Additional identification

Chemical name: Mixture

Recommended use and restriction on use

Recommended use: Formulated Industrial Lubricant

Restrictions on use: None identified.

Details of the supplier of the safety data sheet

Supplier

Company Name: Quincy Compressor

Address: 701 N. Dobson Avenue

Bay Minette, AL 36507

Telephone: 251-937-5900

Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements:

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements: Not applicable

Other hazards which do not result

None identified.

in GHS classification:

3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
Mineral oil	72623-87-1	5 – 10%
Mineral oil	72623-85-9	1 – 5%
Mineral oil	64742-54-7	1 – 5%
Alkarylamine	68411-46-1	1 – 5%



Revision Date: 02/10/2023

4. First-aid measures

Ingestion: Treat symptomatically. Get medical attention.

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur.

Launder contaminated clothing before reuse.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses.

Most important symptoms/effects, acute and delayed

Symptoms: See section 11.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

CO2, Dry chemical or Foam. Water can be used to cool and protect

exposed material.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional

information.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective

equipment for fire-fighters:

Recommend wearing self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined

space or other poorly ventilated areas.

Environmental Precautions: Avoid release to the environment. Do not contaminate water sources or

sewer. Environmental manager must be informed of all major spillages.

Prevent further leakage or spillage if safe to do so.



Revision Date: 02/10/2023

Methods and material for containment and cleaning up:

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert

material.

7. Handling and storage

Precautions for safe handling: Observe good industrial hygiene practices. Provide adequate ventilation.

Wear appropriate personal protective equipment.

Maximum Handling

Temperature:

Not determined.

Conditions for safe storage,

including any incompatibilities:

Store away from incompatible materials. See section 10 for incompatible

materials.

Maximum Storage

Temperature:

Not determined.

8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Mineral oil - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
Mineral oil - Mist.	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
Mineral oil	IDLH	2,500 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
Mineral oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

Appropriate engineering

controls:

No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation

may be required.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: If contact is likely, safety glasses with side shields are recommended.



Revision Date: 02/10/2023

Skin Protection

Hand Protection: Use nitrile or neoprene gloves. Use good industrial hygiene practices. In

case of skin contact, wash hands and arms with soap and water. Consult clothing/glove manufacturer to determine appropriate type of glove for given situation. Gloves should always be inspected before each use and discarded

if they show tears, pinholes, or signs of wear.

Other: Long sleeve shirt is recommended.

Respiratory Protection: Use self-contained breathing apparatus for entry into confined space, for

other poorly ventilated areas and for large spill clean-up sites. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever

workplace conditions require the use of a respirator.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: liquid Form: liquid

Color: Colorless to yellow

Odor: Mild

Odor threshold:No data available.pH:Not applicableFreezing point:No data available.Boiling Point:No data available.

Flash Point: > 475.0 °F (246.1 °C) (Cleveland Open Cup)

Evaporation rate:No data available.
Flammability (solid, gas):
No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

Vapor pressure:

Vapor density:

No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
Auto-ignition temperature:
No data available.
Decomposition temperature:
No data available.



Revision Date: 02/10/2023

Viscosity: 48.5 mm2/s (104 °F (40 °C)) 8 mm2/s (100 °C (212 °F))

Other information

Bulk density: 7.04 lb/gal 77 °F (25 °C)

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Will not occur.

Conditions to avoid: Do not expose to excessive heat, ignition sources, or oxidizing materials.

Incompatible Materials: Strong oxidizing agents. Strong bases. Strong mineral acids and strong

oxidizing agents.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Mineral oil Dust and mist: LC 50 (Rat, , 4 h): > 5 mg/l (Literature) Not classified

Dust and mist Vapour: LC 50 (Rat, , 4 h): > 20 mg/l (Read across)

Not classified

Vapour

Mineral oil Dust and mist: LC 50 (Rat, , 4 h): > 5 mg/l (Literature) Not classified

Dust and mist Vapour: LC 50 (Rat, , 4 h): > 20 mg/l (Read across)

Not classified

Vapour



Revision Date: 02/10/2023

Alkarylamine Vapour: LC 50 Not classified

Vapour Dust and mist: LC 50 Not classified

Dust and mist

Skin Corrosion/Irritation:

Product: Remarks: Not classified as a primary skin irritant. Prolonged or

repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema,

drying, and cracking of the skin.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant.

Respiratory sensitization:

No data available

Skin sensitization:

Mineral oil Classification: Not a skin sensitizer. (Read across)

Mineral oil Classification: Not a skin sensitizer. (Read across) Not a skin

sensitizer.

Mineral oil Classification: Not a skin sensitizer. (Read across)

Alkarylamine Classification: Not a skin sensitizer. (Literature) Not a skin sensitizer.

Specific Target Organ Toxicity - Single Exposure:

Product:

Product:

Mineral oil If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Mineral oil If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Alkarylamine If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Aspiration Hazard:

No data available

Other effects:



Revision Date: 02/10/2023

Product: If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Chronic Effects

Carcinogenicity:

Product: This product contains mineral oils which are severely refined and not

considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346

test.

Mineral oil All of the oils in this product have been demonstrated to contain less

than 3% extractables by the IP 346 test. This product contains mineral oils which are severely refined and not considered

carcinogenic.

Mineral oil All of the oils in this product have been demonstrated to contain less

than 3% extractables by the IP 346 test. This product contains mineral oils which are severely refined and not considered

carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity:

Mineral oil In vitro and in vivo genetic toxicity studies were negative.

Alkarylamine In vitro and in vivo genetic toxicity studies were negative.

Reproductive toxicity:

Mineral oil Not Classified based on available data.

Alkarylamine Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure:

Alkarylamine Oral: Target Organ(s): Liver, Kidney

12. Ecological information

Ecotoxicity

Fish

Mineral oil LC 50 (Fathead Minnow, 96 h): > 100.1 mg/l

Mineral oil LC 50 (Rainbow Trout, 4 d): > 5,000 mg/l



Revision Date: 02/10/2023

Mineral oil LC 50 (Fathead Minnow, 96 h): > 100.1 mg/l

Alkarylamine LC 50 (Zebra Fish, 4 d): > 100 mg/l

Aquatic Invertebrates

Mineral oil EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l

EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Mineral oil EC 50 (Water flea (Daphnia magna), 2 d): > 1,000 mg/l

EC 50 (Water flea (Daphnia magna), 21 d): 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Mineral oil EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l

EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Alkarylamine EC 50 (Water flea (Daphnia magna), 2 d): 51 mg/l

NOEC (Water Flea (Daphnia Magna), 21 d): 1.69 mg/l

Toxicity to Aquatic Plants

Mineral oil EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100.1 mg/l

NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 100.1

mg/l

Mineral oil EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100.1 mg/l

NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 100.1

mg/l

Alkarylamine EC 50 (Green algae (Scenedesmus quadricauda), 3 d): > 100 mg/l

NOEC (Green algae (Scenedesmus quadricauda), 3 d): 10 - 100

mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

Toxicity to microorganisms

Alkarylamine EC 50 (Sludge, 3 h): > 100 mg/l

Persistence and Degradability

Biodegradation

Mineral oil OECD TG 301 F, 31 %, 28 d, Not readily degradable.

OECD TG 301 B, 2 %, 28 d, Not readily degradable.

Mineral oil OECD TG 301 F, 31 %, 28 d, Not readily degradable.

Mineral oil OECD TG 301 F, 31 %, 28 d, Not readily degradable.



Revision Date: 02/10/2023

Alkarylamine OECD TG 301 B, 1 %, 28 d, Not readily degradable. (The product is

not biodegradable.)

Bioaccumulative potential

Bioconcentration Factor (BCF)

Alkarylamine Common Carp, Bioconcentration Factor (BCF): 1,730 (Read across)

Based on experimental data this material is not bioaccumulative.

Partition Coefficient n-octanol / water (log Kow)

Alkarylamine Log Kow: > 5 25 °C (calculated)

Mobility:

No data available

Other adverse effects

No data available

13. Disposal considerations

Disposal instructions: Treatment, storage, transportation, and disposal must be in accordance

with applicable Federal, State/Provincial, and Local regulations.

Since emptied containers retain product residue, follow label warnings even

after container is emptied.

Contaminated Packaging: Container packaging may exhibit hazards.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code

None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.



Revision Date: 02/10/2023

TSCA Section 5(a)2 Significant New Use Rule (SNURs) (40CFR 721, Subpt E)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4)

None present or none present in regulated quantities.

Superfund amendments and reauthorization act of 1986 (SARA)

SARA 311 Classifications

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

Inventory Status

Australia (AIIC)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Great Britain (UK REACH)

To obtain information on the UK REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.



Revision Date: 02/10/2023

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All substances contained in this product are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland and approved for sale. However, third party importers must be notified to the manufacturer.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

Turkey (KKDIK)

To obtain information on the KKDIK compliance status of this product, please e-mail REACH@SDSInquiries.com.


United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 02/10/2023

Version #: 7.0

Source of information: Internal company data and other publically available resources.



Revision Date: 02/10/2023

Further Information: Contact supplier (see Section 1)

Disclaimer: As the conditions or methods of use are beyond our control, we do not

assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains

the responsibility of the user.