

# SAFETY DATA SHEET

## 1. Identification

### Identification

**Product name:** QUINSYN-PRIME

### Additional identification

**Chemical name:** Mixture

### Recommended use and restriction on use

**Recommended use:** Formulated Industrial Lubricant

**Restrictions on use:** None identified.

### Details of the supplier of the safety data sheet

#### Supplier

**Company Name:** Quincy Compressor

**Address:** 701 N. Dobson Avenue  
Bay Minette, AL 36507

**Telephone:** 251-937-5900

### Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

Acute toxicity (Oral)	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Toxic to reproduction	Category 2

#### Unknown toxicity

Acute toxicity, inhalation, vapor	29.2 %
Acute toxicity, inhalation, dust or mist	61.8 %

### Label Elements:

#### Hazard Symbol:



#### Signal Word:

Warning

**Hazard Statement:** Harmful if swallowed.  
Causes skin irritation.  
Causes serious eye irritation.  
Suspected of damaging fertility or the unborn child.

**Precautionary Statements:**

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.

**Response:** IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. Specific treatment (see supplemental first aid instructions on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards which do not result in GHS classification:** None identified.

**3. Composition/information on ingredients**

Chemical name	CAS number	Percent by Weight
Polyether polyol	9003-13-8	60 – 70%
Alkarylamine	68411-46-1	5 – 10%
Barium sulfonate	25619-56-1	0.1 – 0.5%

**4. First-aid measures**

**General information:** IF exposed or concerned: Get medical advice/attention.

**Ingestion:** Rinse mouth. Call a POISON CENTER or doctor/ physician if you feel unwell. Get medical attention if symptoms occur.

**Inhalation:** Remove exposed person to fresh air if adverse effects are observed.

**Skin Contact:** Take off contaminated clothing and wash before re-use. Wash skin thoroughly with soap and water. If skin irritation occurs, get medical attention.

**Eye contact:** Rinse cautiously with water for several minutes. Flush thoroughly with water. If irritation occurs, get medical assistance. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** See section 11.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treat symptomatically.

## 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** CO<sub>2</sub>, dry chemical, foam, water spray, water fog.

**Unsuitable extinguishing media:** Not determined.

**Specific hazards arising from the chemical:** See section 10 for additional information.

**Special protective equipment and precautions for fire-fighters**

**Special fire-fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Recommend wearing self-contained breathing apparatus.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. See Section 8 of the SDS for Personal Protective Equipment.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

**Methods and material for containment and cleaning up:** Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas.

**7. Handling and storage**

**Precautions for safe handling:** Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid contact with skin. Avoid contact with eyes. Observe good industrial hygiene practices. Provide adequate ventilation. Use personal protective equipment as required. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Launder contaminated clothing before reuse.

**Maximum Handling Temperature:** Not determined.

**Conditions for safe storage, including any incompatibilities:** Store away from incompatible materials. See section 10 for incompatible materials.

**Maximum Storage Temperature:** Not determined.

**8. Exposure controls/personal protection****Control Parameters:****Occupational Exposure Limits**

None of the components have assigned exposure limits.

**Other exposure limits**

Chemical name	Type	Exposure Limit Values	Source
Polyol ester	TWA	5 mg/m3	

**Appropriate engineering controls:** No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

**Individual protection measures, such as personal protective equipment**

**General information:** Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Eye/face protection:** Wear tight-fitting goggles or face shield. Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

**Skin Protection****Hand Protection:**

Suitable gloves can be recommended by the glove supplier. Polyvinyl chloride (PVC). Polyvinyl chloride (PVC).

<b>Other:</b>	Long sleeve shirt is recommended. Wear apron or protective clothing in case of contact. Do not wear rings, watches or similar apparel that could entrap the material.
<b>Respiratory Protection:</b>	A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Use respirator with an organic vapor and dust/mist cartridge if the recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. Use respirator with an organic vapor and dust/mist cartridge if the recommended exposure limit is exceeded. Use respirator with an organic vapor cartridge if exposure limit is exceeded.
<b>Hygiene measures:</b>	Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Observe good industrial hygiene practices. Do not eat, drink or smoke when using the product. Avoid contact with skin. Avoid contact with eyes. Wash contaminated clothing before reuse. Wash hands before breaks and immediately after handling the product. Wash hands after handling.

## 9. Physical and chemical properties

### Appearance

<b>Physical state:</b>	liquid
<b>Form:</b>	liquid
<b>Color:</b>	Colorless to yellow
<b>Odor:</b>	Mild
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	Not applicable
<b>Freezing point:</b>	No data available.
<b>Boiling Point:</b>	No data available.
<b>Flash Point:</b>	480.0 °F (248.9 °C) (Cleveland Open Cup)
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper:</b>	No data available.
<b>Explosive limit - lower:</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Relative density:</b>	0.99 68 °F (20 °C)
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	Slightly Soluble
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	46.8 mm <sup>2</sup> /s ( 104 °F (40 °C) ) 8.5 mm <sup>2</sup> /s (100 °C (212 °F) )

**Other information****Bulk density:** 8.25 lb/gal 77 °F (25 °C)**10. Stability and reactivity**

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Will not occur.
<b>Conditions to avoid:</b>	Do not expose to excessive heat, ignition sources, or oxidizing materials.
<b>Incompatible Materials:</b>	Avoid strong bases at high temperatures, strong acids, strong oxidizing agents and materials that react with hydroxyl compounds. Strong acids. Oxidizing agents. Strong bases.
<b>Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

**11. Toxicological information****Information on likely routes of exposure**

<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	Harmful if swallowed.
<b>Skin Contact:</b>	Causes skin irritation.
<b>Eye contact:</b>	Causes serious eye irritation.

**Information on toxicological effects****Acute toxicity****Oral**

Product:	ATEmix 300 - 2,000 mg/kg. Swallowing material may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.
----------	--

**Dermal**

Product:	Not classified for acute toxicity based on available data.
----------	--

**Inhalation**

Polyether polyol	Vapour: LC 50 (Rat, ): Not classified Vapour
Alkarylamine	Vapour: LC 50 Not classified Vapour Dust and mist: LC 50 Not classified Dust and mist

**Skin Corrosion/Irritation:**

Product: Remarks: Causes skin irritation. Prolonged or repeated contact may cause irritation.

**Serious Eye Damage/Eye Irritation:**

Product: Remarks: Causes serious eye irritation.

**Respiratory sensitization:**

No data available

**Skin sensitization:**

Alkarylamine Classification: Not a skin sensitizer. (Literature) Not a skin sensitizer.

Barium sulfonate

Classification: May cause sensitization by skin contact. (Literature)  
Remarks: Category 1

**Specific Target Organ Toxicity - Single Exposure:**

Product:

Polyether polyol

If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Alkarylamine

If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Barium sulfonate

If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

**Aspiration Hazard:**

No data available

**Other effects:**

Product: If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

**Chronic Effects****Carcinogenicity:**

No data available

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

No carcinogenic components identified

**Germ Cell Mutagenicity:**

Alkarylamine In vitro and in vivo genetic toxicity studies were negative.

**Reproductive toxicity:**

Alkarylamine Suspected of damaging fertility or the unborn child.

**Specific Target Organ Toxicity - Repeated Exposure:**

Alkarylamine Oral: Target Organ(s): Liver, Kidney

**12. Ecological information**
**Ecotoxicity**
**Fish**

Alkarylamine LC 50 (Zebra Fish, 4 d): &gt; 100 mg/l

**Aquatic Invertebrates**

 Alkarylamine EC 50 (Water flea (Daphnia magna), 2 d): 51 mg/l  
 NOEC (Water Flea (Daphnia Magna), 21 d): 1.69 mg/l

**Toxicity to Aquatic Plants**

 Alkarylamine EC 50 (Green algae (Scenedesmus quadricauda), 3 d): > 100 mg/l  
 NOEC (Green algae (Scenedesmus quadricauda), 3 d): 10 - 100 mg/l

**Toxicity to soil dwelling organisms**

No data available

**Sediment Toxicity**

No data available

**Toxicity to Terrestrial Plants**

No data available

**Toxicity to Above-Ground Organisms**

No data available

**Toxicity to microorganisms**

Alkarylamine EC 50 (Sludge, 3 h): &gt; 100 mg/l

**Persistence and Degradability**
**Biodegradation**

Alkarylamine OECD TG 301 B, 1 %, 28 d, Not readily degradable. (The product is not biodegradable.)

**Bioaccumulative potential**
**Bioconcentration Factor (BCF)**

 Alkarylamine Common Carp, Bioconcentration Factor (BCF): 1,730 (Read across)  
 Based on experimental data this material is not bioaccumulative.

**Partition Coefficient n-octanol / water (log Kow)**

Alkarylamine Log Kow: &gt; 5 25 °C (calculated)



**Mobility:**

No data available

**Other adverse effects**

No data available

**13. Disposal considerations****Disposal instructions:**

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product residue which may exhibit hazards of product.

**Contaminated Packaging:**

Container packaging may exhibit hazards.

**14. Transport information****DOT**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

**Transport in bulk according to Annex II of MARPOL and the IBC Code**

None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

**15. Regulatory information****US Federal Regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**TSCA Section 5(a)2 Significant New Use Rule (SNURs) (40CFR 721, Subpt E)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

None present or none present in regulated quantities.

**Superfund amendments and reauthorization act of 1986 (SARA)**

**SARA 311 Classifications**

Acute toxicity (any route of exposure)  
Skin Corrosion or Irritation  
Serious eye damage or eye irritation  
Reproductive toxicity

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**



This product can expose you to chemicals including: Methanol (480.00PPB) which is [are] known to the State of California to cause birth defects or other reproductive harm.

**Inventory Status**

**Australia (AIC)**

All components are in compliance with chemical notification requirements in Australia.

**Canada (DSL/NDSL)**

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

**China (IECSC)**

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

**European Union (REACH)**

To obtain information on the REACH compliance status of this product, please e-mail [REACH@SDSInquiries.com](mailto:REACH@SDSInquiries.com).

**Great Britain (UK REACH)**

To obtain information on the UK REACH compliance status of this product, please e-mail [REACH@SDSInquiries.com](mailto:REACH@SDSInquiries.com).

**Japan (ENCS)**

All components are in compliance with the Chemical Substances Control Law of Japan.

**Korea (ECL)**

All components are in compliance in Korea.

**New Zealand (NZIoC)**

All components are in compliance with chemical notification requirements in New Zealand.

**Philippines (PICCS)**

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

**Switzerland (SWISS)**

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

**Taiwan (TCSCA)**

All components of this product are listed on the Taiwan inventory.

**Turkey (KKDIK)**

To obtain information on the KKDIK compliance status of this product, please e-mail REACH@SDSInquiries.com.

**United States (TSCA)**


All substances contained in this product are listed on the TSCA inventory or are exempt.





*The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.*

**16. Other information, including date of preparation or last revision****HMIS Hazard ID**

<b>Health</b>	*	<b>2</b>
<b>Flammability</b>		<b>1</b>
<b>Physical Hazards</b>		<b>0</b>

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**NFPA Hazard ID**

	Flammability
	Health
	Reactivity
	Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

**Issue Date:** 02/10/2023

**Version #:** 8.0

**Source of information:** Internal company data and other publically available resources.

**Further Information:** Contact supplier (see Section 1)

**Disclaimer:**

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.