

























SUNTUF® / SUNSKY®












Corrugated Polycarbonate Sheet












Profile Catalog














#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
1	100	250/40 Industrial	1000 (39.4")	250	40	
2	101	250/40 Industrial	1000 (39.4")	250	40	
3	200	HP 207/35 E35D	1035 (40.7")	207	34	
4	201	SAB 40/915, HP 40/183, E40D, TR40S	915 (36")	183	40	
5	202	HP 35/207, E35, SAB 35 1035/35	1035 (40.7")	207	35	
6	304	Trapeze 275/30	1100 (43.3")	275	30	
7	400	CM204-30	1020 (40.2")	204	30	
8	401	CM204-30 M	1021 (40.2")	204.2	30	
9	402	CM 40/964	964 (38")	241	40	
10	600	LCSVTI-0600	1070 (42.1")	214	28	
11	800	LCSVTI-0800	1000 (39.4")	333.3	42	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
12	900	LCS\TVI-0900	1000 (39.4")	333.3	38	
13	1100	Trapeze 112/27.5 28/1011	896 (35.3")	112	27.5	
14	1200	Trapeze 200/32	1000 (39.4")	200	32	
15	1300	Trimdek 187.5/24	750 (29.5")	187.5	24	
16	1400	LCS\TVI-1400	1000 (39.4")	333.3	39	
17	1500	Abonos	720 (28.3")	144	25.4	
18	1600	Nito	1022 (40.2")	146	23.5	
19	1800	Proclad 32/1000	1000 (39.4")	200	32	
20	2011	SAB 40/915	915 (36")	183	40	
21	2200	Trapeze 250/40	1000 (39.4")	250	40	
22	2300	Trapeze 196/40	980 (38.6")	196	40	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
23	2400	IBR 171.5/37	686 (27")	171.5	37	
24	2600	TR-4	955 (37.6")	320, 315	43.4	
25	2800	Trapeze 333.3/44	1000 (39.4")	333.3	44	
26	2900	Amanco	1000 (39.4")	333, 334	35	
27	3100	Multi Rib Panel	914 (36")	304.8	31.75	
28	3200	Trapeze 265/30.3	1060 (41.7")	265	30.3	
29	3300	AR-PANEL	914 (36")	229	16	
30	3500	Trapeze 250/40	1000 (39.4")	250	40	
31	3600	Coverib 1000	892 (35.1")	297.5	37	
32	3700	3.333.39T	1000 (39.4")	333.3	38	
33	3800	M 250/50	1000 (39.4")	250	48	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
34	3801	50/250/1060	1000 (39.4")	250	48	
35	4000	Arcelor	1000 (39.4")	333.3	45	
36	4100	Day Brazil	1020 (40.2")	255	40	
37	4303	Interfibras	1000 (39.4")	250	35	
38	4600	Trapeze 193.2/32	773 (30.4")	193.2	32	
39	5000	Fielders Trimdek 190/26	760 (29.9")	190	26	
40	5100	333/50 i	1000 (39.4")	333.3	50	
41	5200	200-32 i	1000 (39.4")	200	32	
42	5300	LP-1000	1000 (39.4")	166.6	19	
43	5400	Uni-Rib	912 (35.9")	304	22.5	
44	5500	PMF 32/1000 VH 200.32.P	1000 (39.4")	200	32	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
45	5500R	PMF 32/1000 VH 200.32.P	1000 (39.4")	200	32	
46	5600	200/25F	1000 (39.4")	200	25.4	
47	5700	Trapeze 12/1 i	914 (36")	304.8	25.4	
48	5800	Metecho P1000-G4	1000 (39.4")	333.3	42	
49	5900	Formaclad 166/32 i	1000 (39.4")	166.7	32	
50	6000	Perfil Termacustico	730 (28.7")	146	26	
51	6010	Klauer Frontier	914 (36")	228.6	17.6	
52	6040	TATA Bluescope Trimdek	1015 (40")	203	28.5	
53	6050	Stormtuf	914 (36")	152.4	57	
54	6060	Stabilit P55	870 (34.3")	174	54	
55	6070	Arkos 210-23-1134	1050 (41.3")	210	23	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
56	6080	MR-24	480 (18.9")	480	47.3	
57	6090	Cannonball - USA	466.7 (18.4")	0	24.4	
58	6100	Cindu - Guatamala	790 (31.1")	197.5	34	
59	6110	Mivne Darom - Top Panel	960 (37.8")	240	35	
60	6120	Viner Industries	990 (39")	330	36	
61	6130	DVP PV6	910 (35.8")	174, 194	50	
62	6140	Isopan 250/40	1000 (39.4")	250	39	
63	6150	4.265.27B Haironville	1060 (41.7")	265	25	
64	6160	Cobacier 1004	1000 (39.4")	250	40	
65	6170	Albani-e-Ruggieri 310	1240 (48.8")	310	45	
66	6171	De Filippo Main	1242 (48.9")	310.5	55	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
67	6172	De Filippo Side	1142 (45")	310.5 210.5	45	
68	6180	Quedron 1067 20C	1067 (42")	152.4	20	
69	6190	Varco Pruden	1028 (40.5")	342.8	30.2	
70	6200	Perflex 336x45	1010 (39.8")	336.7	45	
71	6210	112/28	896 (35.3")	112	28	
72	6220	Nervesco 1000TS	1000 (39.4")	333.3	45	
73	6230	166-25	996 (39.2")	166	25	
74	6240	178-40	890 (35")	178	40	
75	6250	257-38	1028 (40.5")	257	38	
76	6260	Nergal 1000	1000 (39.4")	333.3	45	
77	6270	Liting 158/38	1106 (43.5")	158	37	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
78	6280	Hi Rib Tracedek	1008 (39.7")	252	28	
79	6290	Twinrib	700 (27.6")	191.2	52	
80	6300	Sflok Saf 700	700 (27.6")	233	40	
81	6310	Mau Tole Song Cliplock	969 (38.1")	323	40	
82	6320	Isocopre	1000 (39.4")	200	38	
83	6330	DV4	984 (38.7")	328	40	
84	6340	39/180	900 (35.4")	180	39	
85	6350	Perfil 40	1000 (39.4")	250	40	
86	6360	12/0.875	914 (36")	304.8	22.2	
87	6370	E36 KD	1000 (39.4")	250	36	
88	6380	S Profile	1000 (39.4")	250	34	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
89	6390	RGL 40	1002 (39.4")	198,201	40	
90	6400	7 Saf 889	889 (35")	127	38	
91	6410	250/38	1000 (39.4")	250	38	
92	6420	G200 / 30-007	800 (31.5")	200	30	
93	6430	1035/5	1000 (39.4")	250	40	
94	6440	333/38	1000 (39.4")	333	38	
95	6450	Calaminon Curvo	1021 (40.2")	256.5 254	28	
96	6460	Nervesco 25/1085 B	1085 (42.7")	180.8	25	
97	6470	LG 28	1120 (44.1")	112	27.5	
98	6480	LG 40	1075 (42.3")	215	40	
99	6490	LG 38	920 (36.2")	184	37.5	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
100	6500	IBR Saf 686	686 (27")	171.5	36.5	
101	6510	MG-30/206 CM 30/1030	1030 (40.6")	206	32	
102	6520	MBS 20 PTP	1100 (43.3")	137.5	18	
103	6530	MBS PTA 45	900 (35.4")	150	45	
104	6540	125/30	1000 (39.4")	125	30	
105	6550	TR-4 1000	1000 (39.4")	333.3	45	
106	6560	207/35-902	828 (32.6")	270	35	
107	6570	ER-32/251	1006 (39.6")	251.1	32	
108	6580	SAF 760	760 (29.9")	190	28.5	
109	6590	UT-32	1000 (39.4")	200	31.5	
110	6600	Widek Saf 760	760 (29.9")	190	28.5	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
111	6610	Walters Panel	914 (36")	304.8	20.9	
112	6620	HV 3510/6	1000 (39.4")	200	35	
113	6630	FP20 wand	1088 (42.8")	136	17	
114	6640	KL-770	771 (30.4")	257	31.3	
115	6650	G200/40-070	1000 (39.4")	200	40	
116	6660	Brollo TD-5	1000 (39.4")	250	39	
117	6670	300/35	900 (35.4")	300	35	
118	6680	G207/35-097	1035 (40.7")	207	35	
119	6690	Sintostamp 200/38	1000 (39.4")	200	38	
120	6700	Superclad	890 (35")	178	37	
121	6710	5V-Crimp	610 (24")	609.6	12.7	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
122	6720	Roof & Wall	1000 (39.4")	250	40	
123	6730	Pennar Roof & Wall Panel	1000 (39.4")	333.3	32	
124	6740	CY34	1000 (39.4")	200	34	
125	6750	250/40-1058	1000 (39.4")	250	40	
126	6760	5-183-39B	915 (36")	183	39.5	
127	6770	AF-38/1025	1025 (40.4")	205	38	
128	6780	Greca Drain	923 (36.3")	76.2	11.1	
129	6790	AF-38/990	990 (39")	165	38	
130	6800	Cindulit 180	702 (27.6")	175.5	34	
131	6810	Anborg 250/40	1000 (39.4")	250	40	
132	6820	4-33-1070	1070 (42.1")	267.5	32	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
133	6830	PL 4/46/1000	1000 (39.4")	250	46.3	
134	6840	1030.8.25	1030 (40.6")	128.75	25	
135	6850	Galagan 50/150	900 (35.4")	180	50	
136	6860	160/14 N	1120 (44.1")	160	14	
137	6870	Trapeze 333/40	1000 (39.4")	333	40	
138	6880	Trapeze 125/20	1000 (39.4")	125	20	
139	6890	Aceralia 30/209	1045 (41.1")	209	30	
140	6900	No.5 250/40	1000 (39.4")	250	40	
141	6910	G180/43-222	900 (35.4")	180	43	
142	6920	Pazko Profile	1008 (39.7")	201	24	
143	6930	Everdrain Panel	914 (36")	152	12	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
144	6940	Butler Rib II	900 (35.4")	300	38	
145	6950	Trapeze 32/250	1000 (39.4")	250	32	
146	6960	G115/17-153	1035 (40.7")	115	17	
147	6970	G138/17-02E	1100 (43.3")	137	18	
148	6980	G160/39-02D	960 (37.8")	160	39	
149	6990	3-305-96	915 (36")	305	96	
150	7000	Box Rib	762 (30")	152.5	38	
151	7010	Steel Rolling	1000 (39.4")	250	38	
152	7020	Longrib 1000R	1000 (39.4")	200	35	
153	7030	Trim Rib profile	760 (29.9")	190	29.5	
154	7040	Trapeze 18/115	1035 (41")	115	17	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
155	7050	HR3 Panel	1016 (40")	508	35	
156	7060	Behlen 12/1.5	915 (36")	304.8	30.2	
157	7070	KR Panel	1000 (39.4")	333.3	38	
158	7071	Skylight KR Panel	1000 (39.4")	333.3	32	
159	7080	Trapeze 124/30	990 (39")	123.75	30	
160	7090	Trepeze 180/50	900 (35.4")	152.5	38	
161	7100	Clearlight EP 1000-19	1000 (39.4")	250	19	
162	7110	KW Panel	1000 (39.4")	333.33	26.56	
163	7120	C20A	1000 (39.4")	137.5	17	
164	7130	SW-150	900 (35.4")	150	35	
165	7140	Guadeloupe 3.273.39	819 (32.2")	273	39	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
166	7150	112/27.5/1124	1008 (39.7")	112	27.5	
167	7160	Jl 106 Adaption	750 (29.5")	250	60	
168	7170	G250/50-137	1000 (39.4")	250	50	
169	7180	ATI 1	1001 (39.4")	143	34	
170	7190	LO-PRO 2.67	610.2 (24")	67.5	12.7	
171	7200	Clearlight 1000-32	1000 (39.4")	200	32	
172	7210	45KD/1000	1000 (39.4")	333.3	45	
173	7220	Nucor Classic Wall Panel	914 (36")	200	31.6	
174	7230	Greca 80/20	1040 (40.9")	80	20	
175	7240	Metalco Lámina Rectangular	914 (36")	144	25	
176	7250	T35/205	1100 (43.3")	205	35	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
177	7260	TR 32X250	1100 (43.3")	250	33	
178	7270	Mitchel Architectural Panel	1025 (40.4")	304.8	38.1	
179	7280	Hi-Rib Panel	840 (33.1")	254	25.4	
180	7300	Val-Rib	914 (36")	228.6	19.1	
181	7310	MP-20	1045 (41.1")	137.5	17	
182	7320	C40 1025	900 (35.4")	205	40	
183	7330	30/210	400 (15.7")	210	30	
184	7340	30/206/1110	950 (37.4")	206	30	
185	7350	KLIPOK 700	700 (27.6")	233.3	43	
186	7360	30/209/1045	1000 (39.4")	209	30	
187	7370	40/300	900 (35.4")	190	39.5	












SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
188	7380	45/200/400 (15.7")	200	45	
189	7400	PRECOR TR6 950 (37.4")	190	39.5	
190	7430	TR-5 1025 (40.4")	256.2	33	
191	7440	45/971 970.8 (38.2")	323.7 323.4	45	
192	7450	P-1000-40 1000 (39.4")	250	40	
193	7460	35/207/1075 1035 (40.7")	207	35	
194	7470	Alexform 1000 (39.4")	250	38	
195	7480	Eurocover 40N 1023 (40.3")	341	39	
196	7490	CALAMINON GL-1000 1000 (39.4")	333.3	45	
197	7500	R38a 914.4 (36")	152.4	38	
198	7510	20/305 915 (36")	305	39.5	

SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
199	7520	38/125	1000 (39.4")	125	38	
200	7530	40/1020	1020 (40.1")	343 334	40	
201	7540	38/130	910 (35.8")	130	38	
202	7550	30/262	1048 (41.26")	262	30	
203	7560	31/200	1000 (39.4")	200	31	
204	7570	E-71	764 (30")	191	25	
205	7580	MOSCPRN5	900 (35.43")	300	38	
206	7590	36/250	1000 (39.4")	250	35	
207	7600	CL6-914	914.4 (36")	152.4	19	
208	7610	ASC R-PANEL PBL	914.4 (36")	304.8	31.7	
209	7620	Sinus 27/100	1000 (39.4")	100	27	












SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
210	7630	Kirby KSS600	644 (25.35")	55.1		
211	7640	6-175-25HB	1050 (41.33")	178	25	
212	7650	33.5/250	1000 (39.4")	250	33.5	
213	7660	200/44/1045	1000 (39.4")	200	44	
214	7670	38.4/250	1000 (39.4")	250	38.4	
215	7680	Teczone 32	1050 (41.33")	262.5	32	
216	7690	T20-79-1100	1100 (43.3")	16.5	16.5	
217	7700	PR Panel	900 (35.4")	300	31.7	
218	7710	T35-25W-1050	1050 (41.33")	175	30	
219	7720	T20	1113 (43.8")	159	18.5	
220	7730	CRIL HISPAN 500	500 (19.7")	250	35	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
221	7740	42/333	999 (39.33")	333	42	
222	7750	31.75/302.9/908.7	908.7 (35.78")	302.9	31.75	
223	7760	Phoenix SSR 60/542	470 (18.5")		60	
224	7770	PTH-S	966 (38.03")	322	96	
225	7780	40/175/760	700 (27.56")	175	40	
226	7790	42 R-Panel	1028.7 (40.5")	275.2	25.4	
227	7800	Mighty Rib	914.4 (36")	275.2	30.4	
228	7810	Eurobase 56	950 (37.4")	237.5	56	
229	7820	MW52 32/1000	1000 (39.4")	200	32	
230	7830	137.5/17.5/1141	1100 (43.3")	137.5	17.5	
231	7840	25/142	993 (39.1")	142	25	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
232	7850	32/166.7/1081	1000.2 (39.37")	166.7	32	
233	7860	44/202	1010 (39.76")	202	44	
234	7870	Rigidal 6	900 (35.43")	150	32	
235	7880	27.5/112/1021	896 (35.27")	112	27.5	
236	7890	E-101 (25.4/140)	980 (38.58")	140 (5.51")	25.4 (1")	
237	7900	Supervic Pro 0360	760.9 (30")	253.6	19.1	
238	7910	Comintes Roof Top		125	15	
239	7920	Comintes Roof Side		126	15	
240	7930	S-8003		126	15	
241	7940	S-852		106	15	
242	7950	ASC Super Span	914.4 (36")	304.8	31.75 (25.57")	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
243	7960	K1-1700	999 (39.33")	131	15	
244	7970	K1-1754	995.7 (39.2")	131	15	
245	7980	Alutech Estructural	995.7 (39.2")	142.2	22.9	
246	7990	Alutech Millenia	990.6 (39")	330.2	37.34	
247	8000	KingKlip	700 (27.6")	233.3	42	
248	8010	28/196	980 (38.58")	196	28	
249	8020	40/250/1047	1000 (39.37")	250	40	
250	8030	Delta Rib II	609.6 (24")	203.2 (8")	20.65 0.108"	
251	8040	TR 55/250	1000 (39.37")	250	55	
252	8050	18/115 1063 R4	1035 (40.74")	115	18	
253	8060	25/275	1100 (43.30")	275	25	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
254	8070	Roof Deck 40/250	1067.8 (42")	250.1	40	
255	8080	29/208	1040 (41")	208	29	
256	8090	38/309	927 (36.5")	309	38	
257	8100	Mirplast	840 (33.1")	210	40	
258	8110	CM 40/200-1000	1000 (39.37")	200	40	
259	8120	Calaminon AL-106	902 (35.5")	451	118	
260	8130	50/30 /331/993	993 (39.1")	331	50	
261	8140	HT-40 (40/250)	1000 (39.37")	250	40	
262	8150	32/250	1000 (39.37")	250	32	
263	8160	TP-20D	1100 (43.3")	137.5	17	
264	8170	35/333.3	1000 (39.37")	333.33	35	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
265	8180	25/210	840 (33.1")	210	25	
266	8190	26/205	820 (32.3")	205	26	
267	8200	Penta	1000 (39.4")	250	31	
268	8201	Penta Modified	1000 (39.4")	250	40	
269	8210	5801 80/42/333	1000 (39.37")	333.3	80	
270	8220	Metroclad 16/210	840 (33.1")	210	16	
271	8230	ER 30/200	1000 (39.37")	200	30	
272	8240	INCO 30.5.Cubierta	1050 (41.33")	210	30	
273	8250	O-METALL 40.250.4	1000 (39.37")	250	40	
274	8260	O-METALL 45.333.3	1000 (39.37")	333.3	45	
275	8270	IT5 37/171.5	857.5 (33.75")	171.5	37	












SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
276	8280	BHC 37/330	330	330	37	
277	8290	AVIVA 60/300	300	300	39	
278	8300	Strong Panel	267.5	267.5	25	
279	8310	Jl 35-207-1035R	207	207	52	
280	8320	M 40/333	333.3	333.3	36	
281	8330	M 32/207	207	207	39	
282	8340	M 20/210	210	210	19	
283	8350	Ridge-Cap 24/602	602	602	23.8	
284	8360	IT-6 32/150	150	150	32	
285	8370	TN2/40 - 250/104	250	250	40	
286	8380	Arrow Panel	243.4	243.4	37	

SUNTUF®	Designation	Cover	Pitch	Depth	Drawing	
287	8390	Euroclad MW5 32/200/1000	1000 (13")	200	32	
288	8400	200/39	1000 (39.4")	200	39	
289	8410	TOPDEK 38/200	1000 (39.4")	200	38	
290	8420	Sinus 30/167	1000 (39.4")	166.7	30	
291	8430	AEP SPAN 35/116	811.2 (31.9")	115.9	34.9	
292	8440	TR 32.207 SK	1035 (40.74")	207	31	
293	8450	TR 39.333 SK 38.5/333	1000 (39.37")	333.3	38.5	
294	8460	IT-6 32/150 1000	900 (35.43")	150	32	
295	8470	28/147 R32	735 (28.93")	147	28	
296	8480	HC 35	1000 (39.37")	200	35	
297	8490	P08 27.5/120/1097	1080 (42.5")	120	29.5	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
298	8500	Nervesco 4.25.1070	1070 (42.1")	267.5	25	
299	8510	O-METALL 40/250/1041	1000 (39.37")	250	40	
300	8520	45/250-1043	1000 (39.37")	250	45	
301	8530	Trimdek Ti-lite 25/189	826 (32.5")	189	25	
302	8540	PK-20 18/136.25	1090 (42.9")	136.2	18	
303	8550	DUPLO 37/1099/1165	1098.7 (43.25")	1098.7	37.25	
304	8560	DUPLO 65/1137	1094.1 (43.1")	304.5	65.3	
305	8570	39/250/1035	1000 (39.37")	250	39	
306	8580	40/190/993	950 (37.4")	190	40	
307	8590	Chapa Ach 40/250 1051	1000 (39.37")	250	39	
308	8600	MT-52	895 (35.2")	179	52	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
309	8610	PR/38-300/980	900 (35.43")	300	38	
310	8620	C44-1000	1000 (39.37")	200	44	
311	8630	28/190/835	760 (29.92")	190	28	
312	8640	30/270	1080 (42.51")	270	30	
313	8650	Century Rib 21/304.8	914.4 (36")	304.8	21	
314	8660	39/300	900 (35.43")	300	39	
315	8670	38/151	906 (35.66")	151	38	
316	8680	M 40/183	915 (36")	183	40	
317	8690	T-218	1003.5 (39.5")	144	64	
318	8700	Calaminon Ti	1059 (41.7")	353	36	
319	8710	H60 60/845/904	844.8 (33.25")	211.2	60	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
320	8720	NB 32-5-1000 32/250 R12	1000 (39.37")	250	32	
321	8730	T6-A WP 1.5/7.2	912.8 (35.93")	182.6	38.1	
322	8740	C-8 8/115 1188	1150 (39.37")	115	8	
323	8750	40/333.33	1000 (39.4")	333.33	40	
324	8760	33/198	990 (38.97")	198	33	
325	8770	50/200	600 (23.62")	200	50	
326	8780	32/300/900 R4	900 (35.43")	300	32	
327	8790	TR50 R 48/262.5	1050 (41.33")	262.5	47	
328	8800	Polyarq	962.5 (37.9")	192.5	39	
329	8810	LTP35 33/158 1024	948 (37.3")	158	33	
330	8820	40/250/1049	1000 (39.37")	250	40	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
331	8830	AXBT-1 17/137.5	1100 (43.3")	135.7	17	
332	8840	AXBT-2 34/207	1035 (40.74")	207	34	
333	8850	BB900 37/150	900 (35.43")	150	37	
334	8860	45/338	1100 (43.3")	338	44.5	
335	8870	30/215	860 (33.85")	215	30	
336	8880	LG40 G5 (38.5/250)	1000 (39.37")	250	38.5	
337	8890	Trimdek 30/190 R32	762 (30")	191	31	
338	8900	Extralit	719.5 (28.3")	143.9	24.6	
339	8910	MBS 35 (32/207)	1035 (40.74")	207	32	
340	8920	Metform 32/250	1000 (39.37")	250	32	
341	8930	Euroform 34 4.271.34	1085 (42.71")	271.25	34	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
342	8940	Dimond V-Rib 31/102/919	919 (36.18")	102	31	
343	8950	AXPLP-8 16/187	1124 (44.25")	187	16	
344	8960	AXPLP-9 35/210	1050 (41.33")	210	35	
345	8970	35/250/1041	1000 (39.37")	250	35	
346	8980	18/134.5/1098	1076 (42.36")	135	18	
347	8990	34/210	1050 (41.34")	210	34	
348	9000	McElroy Mesa Rib	914.4 (36")	9"	18.6	
349	9010	LTP45 43/180	900 (35.43")	180	43	
350	9020	SSL Saflok 41/945	945 (37.2")	314, 317	41	
351	9030	45/180/1045	900 (35.43")	180	45	
352	9040	W-950 35/237.5	950 (37.4")	237.5	35	












#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
353	9050	AR 330 33/200	1000 (39.37")	200	33	
354	9060	28/205/902	820 (32.28")	205	28	
355	9070	PB45 (45/950)	950 (37.4")	317, 316	45	
356	9080	TRB-45 43/150 972	900 (35.43")	150	43	
357	9090	CT 42/192	960 (37.8")	192	42	
358	9100	KR-18	472 (18.6")	472	64	
359	9110	CyE Kr-18	472 (18.6")	472	38	
360	9120	T25 18/170	1020 (40.16")	170	18	
361	9130	T40 36/196	472 (18.6")	196	36	
362	9140	Teczone Pare Panel	1197 (47.13")	278.5	30.1	
363	9150	MultiTecho 45/910 R4	910 (35.82")	230, 225	30	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
364	9160	Maracana 150			92.6	
365	9170	CF 40/195	975	195	40	
366	9180	ST963 46/321	963	321	46	
367	9190	KS-Liner K	999	66.7	5 or 10	
368	9200	T-100	990 (39")	330	30	
369	9210	ASC Norclad 9"B	914.4 (36")	228.5	16	
370	9220	Sinus 42/160	960	160	42	
371	9230	3.350.43	1050	350	43	
372	9240	37/258/1070	1032	258	37	
373	9250	70/210/840	840	210	70	
374	9260	43/250	1000	150	43	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
375	9270	9/100/1100 R2	1100	100	90	
376	9280	30/272	1088	272	30	
377	9290	48/335	1000	335	48	
378	9300	Barnmaster	812.8 (32")	203.2	11	
379	9310	32/253/1072	1012	252/254	32	
380	9320	PB4 (50/333/1052)	1000	333/334	50	
381	9330	PLUMBDEK 27/191	764	191	27	
382	9340	37/195/780	780	195	37	
383	9350	35/310	930	230	35	
384	9360	30/205	1025	205	30	
385	9370	Sinus 40/167 R45	1000	166.6	40	










#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
386	9380	TR35/200 R10	1000	200	35	
387	9390	FALK 30-1104-1190 R10	1104	366	30	
388	9400	R-101	1008 (39.7")	144	24.6	
389	9410	31.5/306	918	306	31.5	
390	9420	Kingspan Holywell BTM	497.5	497.5	21	
391	9430	Kingspan Holywell TOP	581	280	52	
392	9440	38/333.33	1000	333	38	
393	9450	37/250/1036	1000	250	37	
394	9460	TP46 46/300	900	300	46	
395	9470	40/125/750	750	125	40	
396	9480	15/225	900	225	15	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
397	9490	60-410-820	820	410	57	
398	9500	250-40	1000 (39.4")	250	40	
399	9510	29/206	1030	206	29	
400	9520	22/224	1120	224	22	
401	9530	45/333/1053	1000	333.33	45	
402	9540	50/260/1079	1040	260	50	
403	9550	42-305-1330-R10	1220	305	42	
404	9560	38-298-894	894	298	30	
405	9570	177/60-885-R10	885	177	60	
406	9580	HC 44 (44/200/1080)	1000	200	44	
407	9590	T35 35/213	1065	213	35	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
408	9600	U-Panel	914 (36")	152.4	18.7	
409	9610	T18 PLUS DACH 18/187/1168	914	187.33	18	
410	9620	KD58 SAB 45/315	945	315	56	
411	9630	STR 35	954 (39.4")	159	32	
412	9640	STR 45	900	180	43	
413	9650	STR20 17/114 R4	1028	114.2	17	
414	9660	38-305-988	915	305	38	
415	9670	15/225/932	900	225	15	
416	9680	35/190/1034	950	190	35	
417	9690	9680	1500	125	35	
418	9700	Isolpack R/W 1000	1000 (39.4")	250	40	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
419	9710	51-375-1500	1500	375	51	
420	9720	38/195/1030	1030	195	38	
421	9730	3/50/916.5	840	50	3	
422	9740	T35 35/210/1080	1050	210	35	
423	9750	55/257.5/1030	1030	257.5	55	
424	9760	31.75/304.8	914.4 (36")	304.8	31.75	
425	9770	30/267	1068	267	30	
426	9780	40/264	792	264	40	
427	9790	30/340/1050	1020	340	30	
428	9800	TR-7	870 (34.3")	144 145 146	38	
429	9810	40/245/1037	980	245	40	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
430	9900	Hertje Lumber	471 (18.5")	222.5 334.1 470.9	84.1	
431	9910	PC Ridgelight		612.9 (24 1/8")	41.5	
432	SunSky® 2.67	Sinus 67.8/22.25	814 (32")	67.8	22.2	
433	SunSky® 7.2	Trapeze 183/38	1097 (43.2")	183	1.5"	
434	SunSky® 9	SunSky 9-a (March 2003)	914 (36")	228.6	3/4"	
435	SunSky® 12	Trapeze 12"/1 1/4"	914 (36")	304.8	31.8	
436	SunSky® Propanel	Trapeze 9"/5/8"	914 (36")	228.6 (9")	15.9 (0.63")	
437	American 2.6"	Sinus 67.8/20	949 (37.4")	67.8	20	
438	American 4.2"	Sinus 107/27	963 (37.9")	107	27	
439	Astoria	Trapeze 305/35.8	915 (36")	305	35.8	
440	Spandek	Trapeze 87.5/24	700 (27.6")	87.5	24	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
440	Trimdek	Trapeze 190/27	1140 (44.9") 760 (29.9")	190	27	
442	Big 6	Sinus 146/48	1022 (40.2")	146	48	
443	Isorit	Trapeze 333.3/38	1000 (39.4")	333.3	38	
444	Kirin	Trapeze 250/41	1000 (39.4")	250	41	
445	5,6 Wave	Sinus 177/50	708 (34.8") 885 (34.8") 1062(41.8") 1062 (41.8")	177	51	
446	Greca 70	Trapeze 70/18	1050 (41.3")	70	18	
447	Greca 75	Trapeze 75/19	900 (35.4")	75	19	
448	Greca 76	Trapeze 76/18	1824 (71.8") 1216 (47.9") 1216 (47.9") 1140 (44.9") 1064 (41.9") 1064 (41.9") 1064 (41.9") 988 (38.9") 760 (29.9") 608 (23.9") 532 (20.9")	76	16	
449	Greca 78	Trapeze 78/21	936 (36.9")	78	21	

#	SUNTUF®	Designation	Cover	Pitch	Depth	Drawing
450	Omega	76/15	1824 (71.8") 1824 (71.8") 1824 (71.8") 1216 (47.9") 1216 (47.9") 1216 (47.9") 1064 (41.9") 988 (38.9") 836 (32.9") 760 (29.9")	76	15	
451	Omega	18.5/180/1854	1800	76	15	
452	Iron 76	Sinus 76/18	1216 (47.9") 1064 (41.9") 1064 (41.9") 1064 (41.9") 988 (38.9") 988 (38.9") 836 (32.9") 836 (32.9") 760 (29.9") 608 (23.9")	76	16	
453	SUNTUF BH Iron 1045	Iron 76 1045	988	76	18	
454	Sinus 130/30	Ethernit 5	910 (35.8")	130	30	
455	65/400	Pazdera 65/400	402 (15.8")	100	43	
456						
457						
458						



PALRAM H.Q.

Tel: +972 4 8459900
Fax: +972 4 8444012
palram@palram.com
www.palram.com

PALRAM EUROPE LTD.

Tel: +44 1302 380777
Fax: +44 1302 380778
sales.europe@palram.com
www.palram.com

PALRAM AMERICAS

Tel: 610 2859918
Fax: 610 2859928
palramamericas@palram.com
www.palramamericas.com



71753 - 07.2017

In as much as Palram Industries has no control over the use to which others may put the material, it does not guarantee that the same results as those described herein will be obtained. Each user of the material should make his own tests to determine the material's suitability for his own particular use. Statements concerning possible or suggested uses of the materials described herein are not to be construed as constituting a license under any Palram Industries patent covering such use or as recommendations for use of such materials in the infringement of any patent. Palram Industries or its distributors cannot be held responsible for any losses incurred through incorrect installation of the material. In accordance with our company policy of continual product development you are advised to check with your local Palram Industries supplier to ensure that you have obtained the most up to date information.

