



SUNSKY®

Corrugated Polycarbonate Skylight and Sidelight Panels



AGRICULTURE



CONSTRUCTION



Overview

SunSky corrugated polycarbonate panels stand up to punishing exterior applications and offer multiple advantages over traditional fiberglass corrugated panels. SunSky provides up to 20 times greater impact resistance, warranted protection against yellowing, excellent load ratings, and the highest resistance to wind uplift—outstanding properties confirmed by independent laboratory tests and in installations worldwide since 1984.

SunSky is available in soft white for maximum light transmission without glare, as well as clear and a range of colors to filter light or reduce heat loads.

www.palram.com

Main Benefits

- Virtually unbreakable
- Self extinguishing
- High transmission of natural daylight
- Retains optical clarity over time
- Engineered to stay tough over a wide temperature range (-40°F to 210°F)
- Easily and safely Installed
- 10-year limited warranty (loss of light due to yellowing; damage due to hail)
- Hail and wind resistant (*FBC approved*)
- 100% UV protection



Typical Applications

- Skylights for corrugated metal roofs
- Sidelights
- Roofing
- Ridge lights (using SunSky ridge cap)

Looking for reduced glare and less shadows?

Unlike competing products, Ask for SUNSKY **SoftWhite** isn't just white PC with less white tint. It's advanced technology, proven to provide 100% diffusion and 85% light transmission. Soft White spreads light and reduces harsh shadows and glare.



Stock Profiles and Availability* (*partial list of available profiles; for additional profiles visit PalramAmericas.com/Profiles, or call Palram*)

Profile Name	Basic Profile Dimensions	Thicknesses (mm)			Standard Lengths (Ft.)						Colors		
		0.8	1.0	1.20	8'	10'	10½'	11'	12'	16'	Clear	Soft White	White
SunSky 9"		★	★		★	★	★	★	★	★	★	★	★
SunSky 12"		★	★		★	★	★	★	★	★	★	★	★
9" Classic Rib		★			★				★	★	★		★
9" ProPanel II		★			★				★	★	★		★
9" Frontier <i>(a.k.a. SUNTUF 6010)</i>		★											
7.2 MegaRib <i>(two width options)</i>			★		★				★	★	★		★
2.67" LP			★		★				★	★	★		★
2.67" SP			★		★				★	★	★		★
5V Crimp			★		★				★	★	★		★
SunSky Ridge Caps		★ ^a		★ ^b					★		★		★

* Special dimensions and colors are available, subject to minimum order.

Colors

- Clear - 90% Light Transmission
- Soft White - 85% "Glare Free" Light Transmission
- White Opal - 45% Light Transmission

Need to Match your own Custom Profile?

Palram can match virtually any metal profile in just a few short weeks, and with minimal order requirements. Talk to your Palram rep or call Palram.



Load Performance

SunSky had no mechanical failures or cracks at the end of any test to measure ultimate load when tested to ICBO Evaluation Service Acceptance Criteria, AC 16 Plastic Skylights.

Available exclusively from Palram:

SunSky for Higher Loads & Wider Purlin Spans

1mm and 1.5mm thick SunSky for applications that require better loading capabilities, FBC Approval, or for greater spans between purlins. Contact Palram.



Approvals

- UL - Construction No. 167 - File No. R18450
- FBC Approved 2007 Code (*SunSky 12 in 1mm or 1.5mm required*):
 - FL11238 Roof Deck
 - FL11240 Structural Wall Applications
- Miami - Dade County Product Control*
 - Approved Acceptance No. 05-0907.03

** Most rigorous code standard in USA*
- City of Los Angeles - Research Report RR25298



PALRAM AMERICAS
 9735 Commerce Circle
 Kutztown, PA, 19530 USA
 Tel: 800.999.9459
palramamericas@palram.com



Authorized Distributor

Form 501 - 02/10/11 SCS

In as much as PALRAM Industries has no control over the use to which others may put the material, it does not guarantee that the same results as those described herein will be obtained. Each user of the material should make his own tests to determine the material's suitability for his own particular use. Statements concerning possible or suggested uses of the materials described herein are not to be construed as constituting a license under any PALRAM Industries patent covering such use or as recommendations for use of such materials in the infringement of any patent. PALRAM Industries or its distributors cannot be held responsible for any losses incurred through incorrect installation of the material. In accordance with our company policy of continual product development you are advised to check with your local PALRAM Industries supplier to ensure that you have obtained the most up to date information.

