

Safety Data Sheet

K2-SWISN1

KT SWISEL SWABS WITH IPA
FOAM TIP & SCRAPER BULK

11/19/2019

Contents

English.....	1
--------------	---

This sheet was compiled from the latest available information and reliable sources. Procedures are based on accepted usage. They are not necessarily all-inclusive and may vary in every circumstance. KICTeam provides no warranties either expressed or implied and assumes no responsibility for the accuracy or completeness of the data herein.

Safety Data Sheet: K2-SWISN1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1 Product Identifier

Trade Name: KT SWISEL SWABS WITH IPA FOAM TIP & SCRAPER BULK
Product Number: K2-SWISN1

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Use: Technical Cleaning

1.3 Details of the Supplier of the Safety Data Sheet

KICTeam, Inc. 1130 Minot Avenue Auburn, ME 04210 USA	KICTeam, Inc. 5925 Airport Rd, Suite 200 Mississauga, Ontario, L4V 1W1 Canada
--	--

Information Phone Number: +1 (207) 514-7299
E-mail: infi@KICTeam.com

+1 (905) 405-6250

1.4 Emergency Telephone Number

Emergency Spill Information: CHEMTREC US: +1 (800) 424-9300
CHEMTREC International: +1 (703) 741-5500

SDS Date of Preparation: November 19, 2019

SECTION 2: HAZARDS IDENTIFICATION

This product is a clear liquid with a slight alcohol odor impregnated on a cellulose pad, polypropylene pad or felt pen core. There is a small amount of liquid on the pads and no free liquid in the packages.

2.1 Classification of the Substance or Mixture:

Physical	Health	Environmental
Flammable Liquid Category 2	Eye Irritant Category 2	None

2.2 Label Elements:



DANGER!



Hazard Phrases

H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.

Precautionary Phrases

P210	Keep away from heat, sparks, open flames, and hot surfaces. No smoking.
P233	Keep container tightly closed.
P264	Wash thoroughly after handling.

Safety Data Sheet: K2-SWISN1

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice or attention.
P370 + P378	In case of fire: Use water spray or fog, foam, carbon dioxide or dry chemical to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance with local, regional, and national regulations.

2.3 Other Hazards: None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Chemical Name	CAS#	EINECS#	GHS Classification Regulation (EC) No 1272/2008	%
Isopropanol	67-63-0	200-661-7	Flamm. Liq, 2 (H225), Eye Irrit. 2 (H319), STOT SE 3 (H336)	75%

See Section 16 for further information on GHS Classification.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

Eye Contact: If contact occurs, immediately flush eyes with water for 15 minutes, holding the eye lids open to be sure the material is washed out. Get medical attention if irritation persists.

Skin: No first aid should be required. If skin irritation develops, discontinue use and seek medical attention.

Inhalation: If symptoms develop move to fresh air. Get medical attention if irritation persists or other symptoms persist.

Ingestion: Ingestion is unlikely for solid products. No first aid is required for small amounts transferred from hands to mouth.

4.2 Most important symptoms and effects, both acute and delayed: No effects expected. May cause slight eye and skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed: None required.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

Use water fog, carbon dioxide, or dry chemical.

5.2 Special Hazards Arising from the Substance or Mixture

Unusual Fire and Explosion Hazards: Product will burn under fire conditions. Alcohol saturant may ignite if exposed to flame or hot surfaces when damp. Keep away from sparks, flame and hot surface.

Hazardous Decomposition Products: Combustion may produce oxides of carbon.

5.3 Advice for Firefighters:

Firefighters should always wear self-contained breathing apparatus and full protective clothing for fires involving chemicals or in confined spaces. Cool fire exposed containers with water.

Safety Data Sheet: K2-SWISN1

SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:**
None required.
- 6.2 Environmental Precautions:**
Report spill as required by local and federal regulations.
- 6.3 Methods and Material for Containment and Cleaning Up:**
Pick up wipe and place into an appropriate container for disposal. Do not place into containers where ignition sources such as cigarettes or other ignition sources may be discarded.
- 6.4 Reference to Other Sections:**
Refer to Section 8 for protective equipment and Section 15 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for Safe Handling:**
Avoid contact with the eyes. Avoid breathing vapors. Do not smoke when handling.
- 7.2 Conditions for Safe Storage, Including any Incompatibilities:**
Avoid excessive heat and flames.
- 7.3 Specific end use(s):**
Technical Cleaning.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

Chemical Name	Exposure Limits	Biological Limit Value
Isopropanol	400 ppm OSHA PEL 200 ppm TWA ACGIH TLV, 400 ppm STEL 200 ppm TWA DFG MAK 400 ppm TWA UK WEL, 500 ppm STEL UK WEL	None Established

Refer to local regulations if exposure limits are not listed above.

8.2 Exposure Controls

Engineering Controls: General ventilation is adequate under normal conditions of use.

Respiratory Protection: None required for normal use.

Skin Protection: None required.

Eye Protection: None required.

Other: None required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Physical and Chemical Properties

Safety Data Sheet: K2-SWISN1

Appearance: clear liquid with a slight alcohol odor impregnated on a cellulose pad, polypropylene pad or felt pen core.	Vapor Density: 2.1 (isopropanol)
Odor: Alcohol odor.	Specific Gravity: 0.84
Odor Threshold: No data available	Water Solubility: Saturant - infinite
pH: Not available	Octanol/Water Partition Coefficient: Not available
Melting Point/Freezing Point: -121°F (-85°C) (isopropanol)	Autoignition Temperature: >662°F (>350°C)
Boiling Point: Not available	Decomposition Temperature: Not available
Flash Point: 54°F (12°C) (isopropanol)	Viscosity: Not available
Evaporation Rate: 1.2 (butyl acetate =1)	Explosion Properties: Not explosive
Flammable Limits: Not available	Oxidizing Properties: Not oxidizing
Vapor Pressure: 32.25 mmHg @ 20°C (isopropanol)	

9.2 Other Information:
None

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity:**
Not reactive under normal conditions of use.
- 10.2 Chemical Stability:**
Stable under normal storage and handling conditions.
- 10.3 Possibility of Hazardous Reactions:**
None known.
- 10.4 Conditions to Avoid:**
Avoid heat, sparks, and open flames.
- 10.5 Incompatible Materials:**
Avoid oxidizing agents, aldehydes, chlorine, ethylene oxide, acids, and isocyanates.
- 10.6 Hazardous Decomposition Products:**
Thermal decomposition may produce carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Information on Toxicological Effects**
- Eye:** Direct contact with the liquid may cause eye irritation with redness, tearing, and stinging.
- Skin:** Prolonged skin contact may cause irritation, drying, and dermatitis.
- Inhalation:** Inhalation of vapors may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness, drowsiness, or confusion.
- Ingestion:** This product contains only a small amount of liquid. No adverse effects are expected.
- Acute Toxicity Values:** Isopropanol: Oral rat LD50 5,045 mg/kg; inhalation rat LC50 16,000 ppm/8 hr; Skin rabbit LD50 12,800 mg/kg
- Irritation:** Isopropanol is an eye irritant.

Safety Data Sheet: K2-SWISN1

Corrosivity: This is not a corrosive product.

Sensitization: This product is not expected to cause sensitization.

Repeat Dose Toxicity: F344 rat and CD-1 mice were exposed to 0, 100, 500, 1500, or 5000 ppm isopropanol for 13 weeks. Signs of narcosis were observed in the 5000- ppm isopropanol groups only. Increased body weight and/or body weights gain were observed for rats of the 1500- and 5000-ppm groups as well as female mice of the 5000-ppm group compared to control animals. Changes to food and water consumption generally corresponded to changes in body weight. Increased relative liver weights for both sexes of rats and female mice of the 5000-ppm group and increased size and frequency of hyaline droplets within the kidneys of exposed male rats were observed.

Carcinogen Status: None of the components are listed as a carcinogen by IARC, NTP, ACGIH, OSHA or EU Substances Directive.

Germ Cell Mutagenicity: In an in-vivo study, isopropanol did not induce micronuclei in bone marrow of mice. Studies conducted in mammalian cells in vitro, it did not induce sister chromatid exchanges or gene mutations. Isopropanol did not induce aneuploidy in Neurospora crassa study. It is not mutagenic to bacteria.

Toxicity for Reproduction: Isopropyl alcohol was given continuously in drinking water in doses of 1.5, 1.4, & 1.3 g/kg body wt/day to parents and to two successive generations of rats, respectively. neither growth, reproductive function nor embryonic or postnatal development were affected, except for some retardation of growth early in life of first generation rats.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity:

This product contains less than 3 grams of liquid on the pads and no free liquid in the package. No adverse effects on the aquatic environment are expected.

Isopropanol: 96 hr LC50 fathead minnows 6,120 mg/L; 48 hr LC50 brown shrimp 1400 mg/L

12.2 Persistence and Degradability:

Isopropanol: Readily biodegradable.

12.3 Bioaccumulative Potential:

Not expected to bioaccumulate.

12.4 Mobility in Soil:

No data available.

12.5 Results of PBT and vPvB Assessment:

Not required.

12.6 Other Adverse Effects:

None known.

SECTION 13: DISPOSAL INFORMATION

13.1 Waste Treatment Methods:

Dispose in accordance with local and national environmental regulations.

Safe Handling and Disposal Method: Discard used product in an appropriate container. Do not place into containers where ignition sources such as cigarettes or other ignition sources may be discarded.

Safety Data Sheet: K2-SWISN1

Disposal of Contaminated Packaging: Discard empty packaging in trash.

Environmental Regulations: Dispose in accordance with all local, state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
For free flowing liquid*					
US DOT	UN1219	Isopropanol Solution	3	II	None
TDG	UN1219	Isopropanol Solution	3	II	None
EU ADR/RID	UN1219	Isopropanol Solution	3	II	None
IMDG	UN1219	Isopropanol Solution	3	II	None
ICAO	UN1219	Isopropanol Solution	3	II	None

* For free flowing liquid – quantities less than 30 mL can be shipped under the excepted quantity provisions when in packages of less than 0.5 L total free liquid.

14.6 Special Precautions for User:

None

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

US Regulatory Information:

EPA SARA 311 Hazard Classification: Refer to Section 2 for OSHA Hazard Classification.

EPA SARA 313: This product contains the following chemicals regulated under SARA Title III, section 313: None

CERCLA Hazardous Substances (Section 103)/RQ: This product is not subject to CERCLA reporting requirements as it is sold. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

Toxic Substances Control Act: All of the components of this product are listed on the TSCA inventory.

California Proposition 65: This product does not contain chemicals regulated under California Proposition 65.

Canadian Regulatory Information:

WHMIS Classification: Not hazardous

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

Canadian Environmental Protection Act: All of the ingredients are listed on the Canadian Domestic Substances List.

15.2 Chemical Safety Assessment:

Not required

Safety Data Sheet: K2-SWISN1

SECTION 16: OTHER INFORMATION

Date of Current Version: November 19, 2019

GHS Phrases for Reference (See Section 2 and 3):

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness.

KICTeam Inc. expressly disclaims all express or implied warranties to merchantability and fitness for a particular purpose with respect to the product or information provided recognized sources. While the information is believed to be accurate, KICTeam Inc. makes no representations as to its accuracy or sufficiency. Conditions of use are beyond KICTeam Inc. control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risk of their use, handling and disposal of the product, or from the publications or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.