

Section 8B - Warranty Statements (Rotary Screw Products)

Standard Warranty

Quincy Compressor® Industrial Screw Oil Free Products

- ◆ QOF (75-200 horsepower ONLY) ◆ Two-Stage Gear Drive Compressors

Seller warrants products of its own manufacture against defects in workmanship and materials under normal use and service, as follows:

Packaged Compressors - Twelve (12) months from date of start-up or eighteen (18) months from date of shipment from the factory, whichever occurs first.

Sterling Blue Warranty 5-Year Extended Program

Quincy Compressor® Industrial Screw Oil Free Products

- ◆ QOF (75-200 horsepower ONLY) ◆ Two-Stage Gear Drive Compressors (operating at 150 PSIG full load pressure or less)

Airend on Packaged Compressors - Five years (60) months from the date of start-up (not to exceed 66 months from the date of shipment), including Parts only.

5-Year Extended Program Requirements

AUTHORIZED START-UP REQUIRED: A properly completed start-up form and report and the QOF warranty registration is required to obtain the 5-year extended warranty. The 5-year extended warranty is available with an authorized start up by a Quincy authorized representative. A properly completed start-up report is required; this form must be completed by an authorized Quincy representative and submitted within thirty (30) days of start-up to be eligible for the extended warranty. Completed start-up must be submitted online through the Quincy Compressor partner portal website ([www. QuincyHQ.com](http://www.QuincyHQ.com)).

Genuine Parts and Fluids - The compressor must be maintained with QuinSyn-OF. Actual fluid change interval is to be determined by fluid sampling report, not to exceed maximum fluid change interval. Fluid samples must be taken every 4,000 hours or as directed by the analysis report and submitted to Quincy Compressor's sample laboratory. For light usage units, a fluid sample must be taken a minimum, of every twelve (12) months, beginning at start-up.

Only Genuine Quincy Compressor maintenance and replacement parts may be used on the air compressor, otherwise the Quincy QOF 5-Year Extended Warranty is voided.

*PartsGuardian PLAN Optional

Additional 6 months of Bumper to Bumper Coverage, for a total of Eighteen (18) months from date of start-up or twenty-four (24) months from date of shipment from the factory, whichever occurs first. A properly completed and active Parts Guardian Plan is REQUIRED to be signed within the first 3 months after startup and be active for the duration of the extended warranty period to receive an additional 6 months of Bumper to Bumper coverage.

Sterling Blue PG (Parts/Preventative Guardian) Warranty 5-Year Extended Program

Quincy Compressor® Industrial Screw Oil Free Products

- ◆ QOF (75-200 horsepower ONLY) ◆ Two-Stage Gear Drive Compressors

Airend on Packaged Compressors - Three years (36) months from the date of start-up (not to exceed 42 months from the date of shipment), including Parts and Labor.

Additional 6 months of Bumper to Bumper Coverage, for a total of Eighteen (18) months from date of start-up or twenty-four (24) months from date of shipment from the factory, whichever occurs first.

***A Parts/PreventativeGuardian PLAN REQUIRED: A properly completed and active Parts/Preventative Guardian Plan is required to be signed within the first 3 months after startup and to be active for the duration of the

Section 8B - Warranty Statements (Rotary Screw Products)

extended warranty period. ALL labor MUST be performed by a factory certified technician, otherwise the Quincy QOF Extended Warranty is voided. ***

Only Genuine Quincy Compressor maintenance and replacement parts may be used on the air compressor, otherwise the Quincy QOF Extended Warranty is voided.

Sterling Blue EG (Extended Guardian) Warranty 5-Year Extended Program

Quincy Compressor® Industrial Screw Oil Free Products

◆ QOF (75-200 horsepower ONLY) ◆ Two-Stage Gear Drive Compressors

Airend on Packaged Compressors – Heat Exchanger – Drive Motor – Variable Speed Drive (If applicable).

Five years (60) months from the date of start-up (not to exceed 66 months from the date of shipment), including parts and labor.

***An ExtendedGuardian PLAN REQUIRED: A properly completed and active ExtendedGuardian Plan is required for the duration of the extended warranty period ***

NOTICE!

Quincy Compressor reserves the right to modify or withdraw this QOF Warranty program at any time on units not already covered by this QOF WARRANTY program. Normal rules of warranty apply regardless of coverage length. This QOF warranty is non-transferable.

The customer and/or the Quincy authorized distributor must maintain copies of start-up forms, all maintenance records, parts purchases, and sampling reports. The following records will be required for warranty airend replacement and/or warranty claim consideration and should be submitted to the Quincy Compressor Customer Service Department.

- a) A completed Airend Failure Information form
- b) A copy of the QOF warranty Registration/Agreement form
- c) Copies of all maintenance logs for the unit
- d) Proof of purchase of genuine Quincy parts and fluids
- e) Copies of all fluid analysis reports

Notice of the alleged defect must be provided to Quincy Compressor in writing with all identifying details including serial number, model number, and type of equipment and date of purchase, within thirty (30) days of the discovery of defect during the warranty period.

Seller's sole obligation on this warranty shall be, at its option to repair, replace or refund the purchase price of any product or part thereof which proves to be defective. If requested by the Seller, such product or part thereof must be promptly returned to the Seller, freight collect, for inspection.

Seller warrants factory repaired or replaced parts of its own manufacture against defects in material and workmanship under normal use and service for ninety (90) days or for the remainder of the warranty on the product being repaired, whichever is longer.

Section 8B - Warranty Statements (Rotary Screw Products)

This warranty shall not apply and Seller shall not be responsible nor liable for:

- a) Consequential, collateral or special losses or damages;
- b) Equipment conditions caused by fair wear and tear, abnormal conditions of use, accident, neglect or misuse of equipment, improper storage or damages resulting during shipment;
- c) Deviation from operating instructions, specifications, or other special terms of sales;
- d) Labor charges, loss or damage resulting from improper operation, maintenance or repairs made by person(s) other than Seller or Seller's authorized service station.
- e) Improper application of product
- f) Acts of God

In no event shall Seller be liable for any claims, weather arising from breach of contract or warranty of claims of negligence or negligent manufacture, in excess of the purchase price.

Standard Warranty

Quincy Compressor® Industrial Water Injected Screw Products

- ◆ WIS (20-75 HP) (Operating at 181 PSIG full load pressure or less)

Seller warrants products of its own manufacture against defects in workmanship and materials under normal use and service, as follows:

Packaged Compressors - Twelve (12) months from date of start-up or eighteen (18) months from date of shipment from the factory, whichever occurs first.

Packaged Refrigerated Dryers - Twelve (12) months from date of start-up or eighteen (18) months from date of shipment from the factory, whichever occurs first.

Standard Warranty

Quincy Compressor® Industrial Scroll Oil Free Products

- ◆ QOF (2-30 horsepower ONLY) Belt Drive Compressors
(operating at 145 PSIG full load pressure or less)

Quincy Compressor (Seller) warrants products of its own manufacture against defects in workmanship and materials under normal use and service, as follows:

Packaged Compressors - Twelve (12) months from date of start-up or eighteen (18) months from date of shipment from the factory, whichever occurs first.

Packaged Refrigerated Dryers - Twelve (12) months from date of start-up or eighteen (18) months from date of shipment from the factory, whichever occurs first.

NOTICE!

Quincy Compressor reserves the right to modify or withdraw this QOF Warranty program at any time on units not already covered by this QOF WARRANTY program. Normal rules of warranty apply regardless of coverage length. This QOF warranty is non-transferable.

Section 8B - Warranty Statements (Rotary Tooth Products)

Standard Warranty

Quincy Compressor® Industrial Oil Free Products

◆ QOFT 20-75V ONLY

Seller warrants products of its own manufacture against defects in workmanship and materials under normal use and service, as follows:

Packaged Compressors - Twelve (12) months from date of start-up or eighteen (18) months from date of shipment from the factory, whichever occurs first.

Sterling Blue Warranty 2-Year Extended Program

Quincy Compressor® Industrial Tooth Oil Free Products

◆ QOFT 20-75V ONLY

Airend on Packaged Compressors - Two years (24) months from the date of start-up (not to exceed 30 months from the date of shipment), including Parts only.

2-Year Extended Program Requirements

AUTHORIZED START-UP REQUIRED: A properly completed start-up form and report and the QOFT warranty registration is required to obtain the 2-year extended warranty. The 2-year extended warranty is available with an authorized start up by a Quincy authorized representative. A properly completed start-up report is required; this form must be completed by an authorized Quincy representative and submitted within thirty (30) days of start-up to be eligible for the extended warranty. Completed start-up must be submitted online through the Quincy Compressor partner portal website (www.QuincyHQ.com).

Genuine Parts and Fluids - The compressor must be maintained with QuinSyn-OF. Actual fluid change interval is to be determined by fluid sampling report, not to exceed maximum fluid change interval. Fluid samples must be taken every 4,000 hours or as directed by the analysis report and submitted to Quincy Compressor's sample laboratory. For light usage units, a fluid sample must be taken a minimum, every year beginning at start-up.

Only Genuine Quincy Compressor maintenance and replacement parts may be used on the air compressor, otherwise the Quincy QOFT 2-Year Extended Warranty is voided.

*PartsGuardian PLAN Optional

Additional 6 months of Bumper to Bumper Coverage, for a total of Eighteen (18) months from date of start-up or twenty-four (24) months from date of shipment from the factory, whichever occurs first. A properly completed and active Parts Guardian Plan is REQUIRED to be signed within the first 3 months after startup and be active for the duration of the extended warranty period to receive an additional 6 months of Bumper to Bumper coverage.

Sterling Blue PG (Parts/PreventativeGuardian) Warranty 3-Year Extended Program

Quincy Compressor® Industrial Tooth Oil Free Products

◆ QOFT 20-75V ONLY

Airend on Packaged Compressors - Three years (36) months from the date of start-up (not to exceed 42 months from the date of shipment), including Parts and Labor.

Additional 6 months of Bumper to Bumper Coverage, for a total of Eighteen (18) months from date of start-up or twenty-four (24) months from date of shipment from the factory, whichever occurs first.

***A Parts/PreventiveGuardian PLAN REQUIRED: A properly completed and active Parts/Preventive Guardian Plan is required to be signed within the first 3 months after startup and to be active for the duration of the extended warranty period. ALL labor MUST be performed by a factory certified technician, otherwise the Quincy QOFT Extended Warranty is voided. ***

Only Genuine Quincy Compressor maintenance and replacement parts may be used on the air compressor, otherwise the Quincy QOFT Extended Warranty is voided.

NOTICE!

Quincy Compressor reserves the right to modify or withdraw this QOFT Warranty program at any time on units not already covered by this QOF WARRANTY program. Normal rules of warranty apply regardless of coverage length. This QOFT warranty is non-transferable.

Section 8B - Warranty Statements (Rotary Tooth Products)

Quincy Compressor

5-Year Extended Airend Warranty

The Extended Airend Warranty program is effective for 5 years from date of start-up or 66 months from date of shipment from the factory. Any up front fee paid or kit purchased does not assure extended warranty coverage. The terms of coverage for the Extended Airend Warranty are listed below. Failure to follow the terms will invalidate the Extended Airend Warranty.

AUTHORIZED START-UP REQUIRED:

The distributor performing the start-up is required to submit a start-up report to the Bay Minette Service Department upon installation of Quincy Compressor rotary screw products. The start-up report must be submitted to Quincy Compressor online via the Distributor Login link on the homepage of the Quincy Compressor website (www.quincycompressor.com). Start-up sheets are supplied with all rotary screw products, however, a fee of \$100.00 will be charged for submitting a paper start-up report.

GENUINE PARTS AND FLUIDS

The compressor must be maintained with one of the following: QuinSyn-PG (8,000 hrs.), QuinSyn-XP (12,000 hrs.), QuinSyn-Plus (8,000 hrs.) or QuinSyn-F fluid (6,000 hrs.) Maximum fluid change intervals are noted per fluid. Actual fluid change interval is to be determined by fluid sampling report, not to exceed maximum fluid change interval. Compressors using other fluids will not be eligible for this warranty program. Fluid samples must be taken every 2,000 hours or as directed by the analysis report and submitted to Quincy Compressor's sample laboratory. Light use units must have fluid samples taken at a minimum every six (6) months.

Only genuine Quincy Compressor maintenance and replacement parts may be used on the compressor.

Heavy-duty air filter option is required.

Normal rules of warranty apply regardless of coverage length. Inlet valves, fluid pumps and shaft seals are covered by the standard (1 year) warranty terms and are not included in the Extended Airend Warranty program. The Extended Airend Warranty is non-transferable.

The customer and/or Quincy Distributor must keep copies of all maintenance records, parts purchases and sampling reports. The following records will be required for warranty airend replacement and/or warranty claim consideration and should be submitted to the Quincy Compressor Customer Service Department:

- A completed Airend Failure Information form.

- A copy of the Extended Airend Warranty Registration/Agreement form.

- Copies of all maintenance logs for the unit.

- Proof of purchase of genuine Quincy parts and fluids.

- Copies of all fluid analysis reports.

The following airends are not eligible for the 5-year Extended Airend Warranty program:

High Pressure airends (over 150 PSIG full load), airends on vacuum units, QSD (oil-free) units and QSLP units

NOTICE!

Quincy Compressor reserves the right to modify or withdraw this Extended Airend Warranty program at any time on units not already covered by this EXTENDED AIREND WARRANTY program.

Section 8B - Warranty Statements (Rotary Screw Products)

Quincy Compressor

10-Year Extended Airend Warranty

The Extended Airend Warranty program is effective for 10 years from date of start-up or 126 months from date of shipment from the factory. Any up front fee paid or kit purchased does not assure extended warranty coverage. The terms of coverage for the Extended Airend Warranty are listed below. Failure to follow the terms will invalidate the Extended Airend Warranty.

AUTHORIZED START-UP REQUIRED:

The distributor performing the start-up is required to submit a start-up report to the Bay Minette Service Department upon installation of Quincy Compressor rotary screw products. The start-up report must be submitted to Quincy Compressor online via the Distributor Login link on the homepage of the Quincy Compressor website (www.quincycompressor.com). Start-up sheets are supplied with all rotary screw products, however, a fee of \$100.00 will be charged for submitting a paper start-up report.

GENUINE PARTS AND FLUIDS

The compressor must be maintained with QuinSyn-XP fluid throughout the term of the warranty. QuinSyn-XP must be changed every 12,000 hours, or sooner, as directed by fluid sampling reports. Compressors using other fluids will not be eligible for this program.

Fluid samples must be taken every 2,000 hours or as directed by the analysis report and submitted to Quincy Compressor's sample laboratory. Light use units must have fluid samples taken at a minimum every six (6) months.

Only genuine Quincy Compressor maintenance and replacement parts may be used on the compressor.

Heavy-duty air filter option is required.

Normal rules of warranty apply regardless of coverage length. Inlet valves, fluid pumps and shaft seals are covered by the standard (1 year) warranty terms and are not included in the Extended Airend Warranty program. The Extended Airend Warranty is non-transferable.

The customer and/or Quincy Distributor must keep copies of all maintenance records, parts purchases and sampling reports. The following records will be required for warranty airend replacement and/or warranty claim consideration and should be submitted to the Quincy Compressor Customer Service Department:

- A completed Airend Failure Information form.
- A copy of the Extended Airend Warranty Registration/Agreement form.
- Copies of all maintenance logs for the unit.
- Proof of purchase of genuine Quincy parts and fluids.
- Copies of all fluid analysis reports.

The following airends are not eligible for the 10-year Extended Airend Warranty program:

High Pressure airends (over 150 PSIG full load), airends on rental units, vacuum units, QSD (oil-free) units, QSLP units, QS2 units and QSF units.

NOTICE!

Quincy Compressor reserves the right to modify or withdraw this Extended Airend Warranty program at any time on units not already covered by this EXTENDED AIREND WARRANTY program.