

SAFETY DATA SHEET

1. Identification

Identification

Product name: OBSOLETE:QUIN SYN FG-46

Additional identification

Chemical name: Mixture

Recommended use and restriction on use

Recommended use: Formulated Industrial Lubricant

Restrictions on use: None identified.

Details of the supplier of the safety data sheet

Supplier

Company Name: THE LUBRIZOL CORPORATION
Address: 29400 LAKELAND BOULEVARD
WICKLIFFE, OH 44092-2298
US
Telephone: (440)943-1200

Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC 24-HOUR NUMBER (+1)703 527 3887 OR WITHIN USA
1 800 424 9300 (CCN13437)

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements:

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements: Not applicable

Other hazards which do not result in GHS classification: None identified.

3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
Alkarylamine	68411-46-1	0.1 – 0.5%

4. First-aid measures

Ingestion:	Treat symptomatically. Get medical attention.
Inhalation:	Remove exposed person to fresh air if adverse effects are observed. If breathing is labored, administer oxygen. If breathing has stopped, apply artificial respiration. Call a poison center or doctor if you feel unwell. Remove exposed person to fresh air if adverse effects are observed.
Skin Contact:	Wash with soap and water. If skin irritation occurs, get medical attention. Remove contaminated clothing. Launder contaminated clothing before reuse. Wash with soap and water. If skin irritation occurs, get medical attention.
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.

Most important symptoms/effects, acute and delayed

Symptoms: See section 11.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: Use water to cool containers exposed to fire. No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: CO₂, dry chemical, foam, water spray, water fog.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional information. Burning may produce irritating, toxic and obnoxious fumes. Container may rupture on heating. Spills produce extremely slippery surfaces.

Special protective equipment and precautions for fire-fighters

Special fire-fighting procedures: No data available.

Special protective equipment for fire-fighters: Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Recommend wearing self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Only trained personnel should be permitted in area. Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Caution: Contaminated surfaces may be slippery.

Environmental Precautions:

Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up:

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Absorb spilled substance with sand or earth. Place in metal containers for recovery or disposal.

7. Handling and storage

Precautions for safe handling:

Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Keep away from ignition sources such as heat, sparks and open flame. No smoking. Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment, dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Avoid prolonged exposure to heat and air. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Ground container and transfer equipment to eliminate static electric sparks. Do not breathe thermal decomposition products. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty containers retain material residue. Do not cut, weld, braze, solder, drill, grind or expose containers to heat, flame, spark or other sources of ignition. Avoid contact with eyes and prolonged or repeated contact with skin. Ground and bond container and receiving equipment. Open container in a well ventilated area. Avoid breathing vapors. Avoid prolonged exposure to heat and air. All equipment should be grounded to prevent static discharges, and vented to provide for potential energy release.

Maximum Handling Temperature:

Not determined.

Conditions for safe storage, including any incompatibilities:

See section 10 for incompatible materials. Keep material from heat, light, sparks and flame. Store separately from oxidizers. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. Store away from incompatible materials. See section 10 for incompatible materials. Do not store in direct sunlight.

Maximum Storage Temperature:

Not determined.

8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate engineering controls: Adequate ventilation should be provided so that exposure limits are not exceeded. No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: If contact is likely, safety glasses with side shields are recommended.

Skin Protection

Hand Protection: Suitable gloves can be recommended by the glove supplier. Gloves should always be inspected before each use and discarded if they show tears, pinholes, or signs of wear. Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur wear chemically protective gloves. Consult clothing/glove manufacturer to determine appropriate type of glove for given situation. Gloves should always be inspected before each use and discarded if they show tears, pinholes, or signs of wear.

Other: Long sleeve shirt is recommended. Wear apron or protective clothing in case of contact. Do not wear rings, watches or similar apparel that could entrap the material. Use good industrial hygiene practices. In case of skin contact, wash hands and arms thoroughly with soap and water to prevent a skin reaction.

Respiratory Protection: Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Use respirator with a combination organic vapor and high efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Colorless to yellow
Odor:	Mild
Odor threshold:	No data available.
pH:	Not applicable
Freezing point:	No data available.

Boiling Point:	No data available.
Flash Point:	> 475.0 °F (246.1 °C) (ASTM D56 (Tag (Closed Cup)))
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.832 68 °F (20 °C)
Solubility(ies)	
Solubility in water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	46.9 mm ² /s (104 °F (40 °C)) 7.9 mm ² /s (100 °C (212 °F))
Other information	
Bulk density:	6.94 lb/gal 77 °F (25 °C)

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Will not occur.
Conditions to avoid:	Sunlight. Strong oxidizing agents. Do not expose to excessive heat, ignition sources, or oxidizing materials.
Incompatible Materials:	Strong mineral acids and strong oxidizing agents. Strong bases. Strong bases. Strong mineral acids and strong oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Alkarylamine
Vapour: LC 50 Not classified
Vapour Dust and mist: LC 50 Not classified
Dust and mist

Skin Corrosion/Irritation:

Product: Remarks: Not classified as a primary skin irritant. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant.

Respiratory sensitization:

No data available

Skin sensitization:

Alkarylamine Classification: Not a skin sensitizer. (Literature) Not a skin sensitizer.

Specific Target Organ Toxicity - Single Exposure:

Product:

Alkarylamine
If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Aspiration Hazard:

No data available

Other effects:

Product: If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Chronic Effects

Carcinogenicity:

No data available

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity:

Alkarylamine In vitro and in vivo genetic toxicity studies were negative.

Reproductive toxicity:

Alkarylamine Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure:

Alkarylamine Oral: Target Organ(s): Liver, Kidney

12. Ecological information

Ecotoxicity

Fish

Alkarylamine LC 50 (Zebra Fish, 4 d): > 100 mg/l

Aquatic Invertebrates

Alkarylamine EC 50 (Water flea (Daphnia magna), 2 d): 51 mg/l
 NOEC (Water Flea (Daphnia Magna), 21 d): 1.69 mg/l

Toxicity to Aquatic Plants

Alkarylamine EC 50 (Green algae (Scenedesmus quadricauda), 3 d): > 100 mg/l
 NOEC (Green algae (Scenedesmus quadricauda), 3 d): 10 - 100 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

Toxicity to microorganisms

Alkarylamine EC 50 (Sludge, 3 h): > 100 mg/l

Persistence and Degradability

Biodegradation

Alkarylamine OECD TG 301 B, 1 %, 28 d, Not readily degradable. (The product is not biodegradable.)

Bioaccumulative potential

Bioconcentration Factor (BCF)

Alkarylamine Common Carp, Bioconcentration Factor (BCF): 1,730 (Read across)
 Based on experimental data this material is not bioaccumulative.

Partition Coefficient n-octanol / water (log Kow)

Alkarylamine

Log Kow: > 5 25 °C (calculated)

Mobility:

No data available

Other adverse effects

No data available

13. Disposal considerations

Disposal instructions:

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied.

Contaminated Packaging:

Container packaging may exhibit hazards.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code

None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

TSCA Section 5(a)2 Significant New Use Rule (SNURs) (40CFR 721, Subpt E)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4)

None present or none present in regulated quantities.

Superfund amendments and reauthorization act of 1986 (SARA)

SARA 311 Classifications

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

Inventory Status

Australia (AIC)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACH)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Great Britain (UK REACH)

To obtain information on the UK REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

Turkey (KKDIK)

To obtain information on the KKDIK compliance status of this product, please e-mail REACH@SDSInquiries.com.

United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	0
Flammability	1
Physical Hazards	0

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



	Flammability
	Health
	Reactivity
	Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 02/13/2023

Version #: 6.0

Source of information: Internal company data and other publically available resources.

Further Information: Contact supplier (see Section 1)

Revision(s) are noted by the double bar in the margin and the light gray box.

Disclaimer: As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.